



AHCCCS

**Arizona Medical
Information Exchange
Proof of Concept**

AMIE

Message Specifications and Samples

January 14, 2009

Document Revision History

| Date | Revisions | Version | Author |
|------------|--|---------|--|
| 01/14/2009 | Draft | 1.0 | Lupita Figueroa, System Analyst/AHCCCS |
| 02/12/2009 | Added appendix A. Complete list of LOINC codes supported by RLS for record type. | 1.1 | Lupita Figueroa |
| 03/12/2009 | Updated Appendix A to include standardized descriptions supported by AMIE and additional record types. | 1.2 | Lupita Figueroa |

| | |
|--|----|
| Introduction | 4 |
| Message Types..... | 4 |
| Retrieve Record Responses (Same as Clinical Records)..... | 4 |
| AMIE Code systems Identification and Value Sets | 5 |
| Code system OIDs used in AMIE Message Specifications | 5 |
| Identification convention for Organizations, Gateways, and Source Systems using OIDs | 6 |
| Gateway ID (Assigned by AMIE) | 6 |
| Source system ID (Assigned by AMIE based on Organization ID) | 6 |
| Code System Value Sets | 8 |
| Data Partner Type Code System Value Set | 8 |
| Record Type Code System Value Set | 8 |
| Publish Action Types Value Set..... | 8 |
| Publish Result Code Value Set | 8 |
| Consent Codes Value Set..... | 8 |
| Multiple Birth Valid Value Set | 9 |
| AMIE Message Specifications | 9 |
| Record Locator Service Publish Request Specification | 9 |
| Record Locator Service Publish Response Specification | 9 |
| Lookup Patient Request Specification | 9 |
| Lookup Patient Response Specification | 9 |
| Lookup Patient Record Request Specification..... | 9 |
| Lookup Patient Record Response Specification | 9 |
| Retrieve Record Request Specification | 9 |
| Retrieve Record Response Specifications | 9 |
| Sonora Quest Lab Results Specification | 9 |
| Banner Discharge Summary Specification | 9 |
| SJHMC Discharge Summary Specification..... | 9 |
| MIHS Discharge Summary Specification | 9 |
| MCPC Medication History Specification | 10 |
| AMIE Message XML Samples | 10 |
| Record Locator Service Publish Request Sample..... | 10 |
| Record Locator Service Publish Response Sample | 13 |
| Lookup Patient Request Sample | 15 |
| Lookup Patient Response Sample..... | 17 |
| Lookup Patient Record Request Sample | 20 |
| Lookup Patient Record Response Sample..... | 22 |
| Retrieve Record Request Sample | 26 |
| Retrieve Record Response Samples..... | 28 |

| | |
|--|----|
| Sonora Quest Lab Sample | 28 |
| Banner Discharge Summary Sample | 33 |
| SJHMC Discharge Summary Sample | 37 |
| MIHS Discharge Summary Sample | 41 |
| MCPC Medication History Sample | 45 |
| Appendix A Record Types Supported By AMIE..... | 49 |

Introduction

This document contains detailed messaging specifications and samples for each of the 7 message types and 3 types of clinical records required to support the functional requirements of AMIE proof of concept. The 7 message types and 3 types of clinical records are the following:

Message Types

1. Record Locator Service Publish Request
 - Emulator generates this type of message and sends it to record locator service to publish availability of a clinical record.
2. Record Locator Service Publish Response
 - Record Locator Service responds with this message type to Emulator with this message type to communicate whether the publish operation successfully completed.
3. Lookup Patient Request Specification
 - Viewer generates this message type to look for a patient in the master patient index.
4. Lookup Patient Response Specification
 - Record locator service responds with this message type to viewer with a list of matching patient records.
5. Lookup Patient Record Request Specification
 - Viewer generates this message type to request for a list of records available for viewing for specific patients.
6. Lookup Patient Record Response Specification
 - Record Locator Service responds with this message type to supply viewer with a list of records available for viewing.
7. Retrieve Record Request Specification
 - Viewer generates this type of message to retrieve a set of records

Retrieve Record Responses (Same as Clinical Records)

There are 3 types of clinical records. Below is the set of clinical records that the Emulator may return to viewer upon viewer request and availability of records.

1. Lab Result
 - a. Sonora Quest Lab Results
2. Discharge Summary,

- a. Banner Health Discharge Summary
 - b. Saint Joseph’s Hospital and Medical Center (SJHMC) Discharge Summary
 - c. Maricopa Integrated Hospital System (MIHS) Discharge Summary
3. Medication History
- a. Managed Care Pharmacy Consultants (MCPC) Medication History

The message structure and the majority of the terminology and code systems were taken and/or derived from the following standards:

- HL7 Version 3 Messaging Standard implementation guide
- Clinical Document Architecture (CDA) implementation guide
- Continuity of Care Document (CCD) implementation guide

Please refer to the above documents for any code system or terminology definition not found on this specification, but part of the message specification.

AMIE Code systems Identification and Value Sets

Code system OIDs used in AMIE Message Specifications

AMIE message specifications utilize internal and external code systems for vocabulary, identifications systems, and message types. Each code system is identified by an OID. This is not an exhaustive list of all OIDs used in message specifications. For other OIDs used in the message specification, refer to the HL7 Continuity of Care Document and HL7 Clinical Document Architecture (CDA) Implementation Guides.

| Code System Name | Codesystem ID | Assigning Authority Name | Internal? |
|------------------------------------|------------------------------|--------------------------|-----------|
| Data Partner Type | 2.16.840.1.113883.11.19465 | NUCC | No |
| NPI | 2.16.840.1.113883.4.6 | HL7 | No |
| Record Type (LOINC Document Codes) | 2.16.840.1.113883.6.1 | LOINC | No |
| AHCCCS ID | 2.16.840.1.113883.4.275 | AHCCCS | Yes |
| MRN | 2.16.840.1.113883.4.275.4.1 | MRN Provider | Yes |
| Insurance ID | 2.16.840.1.113883.4.275.4.2 | Health Plan | Yes |
| LAST 4 SSN | 2.16.840.1.113883.4.275.4.3 | SSA | Yes |
| AMIE Provider ID | 2.16.840.1.113883.4.275.4.6 | AMIE | Yes |
| DEA | 2.16.840.1.113883.4.275.4.7 | AMIE | Yes |
| AMIE Search Index | 2.16.840.1.113883.4.275.4.8 | AMIE | Yes |
| RIS Publish Action Type | 2.16.840.1.113883.4.275.4.10 | AMIE | Yes |
| Patient Consent | 2.16.840.1.113883.4.275.4.11 | AMIE | Yes |
| Multiple Birth | 2.16.840.1.113883.4.275.4.12 | AMIE | Yes |

Identification convention for Organizations, Gateways, and Source Systems using OIDs

Organization ID (May be assigned by HL7 upon request)

Each organization must have a unique id for their organization in the form of an OID. All data provider organizations should register an OID with HL7 for their organization. (e.g. AMIE organization OID is 1.16.840.1.113883.3.138).

Gateway ID (Assigned by AMIE)

Gateway ID will be generated and assigned by AMIE in the form of an OID. This OID will be derived from AMIE organization ID. Each new gateway ID will be derived by concatenating AMIE organization ID, number 3 and a gateway ID index. The gateway id index will be increased by 1 unit for each new gateway deployed.

Gateway ID = 2.16.840.1.113883.3.138. + 3 + {gateway id index} (e.g. Gateway ID=2.16.840.1.113883.3.138.3.1)

Source system ID (Assigned by AMIE based on Organization ID)

Source System ID will be generated and assigned by AMIE in the form of an OID. This OID will be derived from the data provider organization ID. Each new Source System ID will be derived by concatenating the data provider organization ID, number 1 and Source System ID index. The Source System id index will be increased by 1 unit for each new Source System.

Source System ID = 2.16.840.1.113883.3.154. + 1 + {Source System id index} (e.g. Source System ID=2.16.840.1.113883.3.154.1.1)

| Organization | Organization ID | Gateway Name | Gateway ID | Source System Name | Source System IDs |
|---------------------------------------|------------------------------|--------------------------------|------------------------------|------------------------------------|--------------------------------|
| AHCCCS OIDs | | | | | |
| AHCCCS | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | PMMIS | 2.16.840.1.113883.3.138.1.1 |
| AHCCCS | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | AHCCCS Decision Support | 2.16.840.1.113883.3.138.1.2 |
| AMIE | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | AMIE Viewer | 2.16.840.1.113883.3.138.1.3 |
| AMIE | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | AMIE Directory Services (HIE) | 2.16.840.1.113883.3.138.1.4 |
| AMIE | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.2 | AMIE Emulator | 2.16.840.1.113883.3.138.1.5 |
| AMIE | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | AMIE HIE Admin | 2.16.840.1.113883.3.138.1.6 |
| AMIE | 2.16.840.1.113883.3.138 | AMIE Gateway | 2.16.840.1.113883.3.138.3.1 | AMIE Consent Management | 2.16.840.1.113883.3.138.1.7 |
| DATA PARTNER OIDs (PRODUCTION) | | | | | |
| MIHS | 2.16.840.1.113883.3.154 | MIHS Production Gateway | 2.16.840.1.113883.3.138.3.3 | MIHS Production Emulator | 2.16.840.1.113883.3.154.1.1 |
| SonoraQuest | 2.16.840.1.113883.3.174 | SonoraQuest Production Gateway | 2.16.840.1.113883.3.138.3.4 | Sonora Quest Production Emulator | 2.16.840.1.113883.3.174.1.1 |
| CHW | 2.16.840.1.113883.3.181 | CHW Production Gateway | 2.16.840.1.113883.3.138.3.5 | CHW Production Emulator | 2.16.840.1.113883.3.181.1.1 |
| Banner Heart Hospital | 2.16.840.1.114222.4.1.4844 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| Banner Baywood Medical Center | 2.16.840.1.114222.4.1.4828 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| Banner Gateway Medical Center | 2.16.840.1.114222.4.1.213015 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| Banner Desert Medical Center | 2.16.840.1.114222.4.1.4825 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| Page Community Hospital | 2.16.840.1.114222.4.1.4832 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| Banner Estrella Medical Center | 2.16.840.1.114222.4.1.4830 | Banner Production Gateway | 2.16.840.1.113883.3.138.3.6 | Banner Production Emulator | 2.16.840.1.114222.4.1.4824.1.1 |
| AHCCS HIE RX Vendor | 2.16.840.1.113883.3.182 | RX Vendor Production Gateway | 2.16.840.1.113883.3.138.3.7 | Rx Vendor Production Source System | 2.16.840.1.113883.3.182.1.1 |
| Phoenix Children's Hospital | 2.16.840.1.113883.4.352 | PCH Production Gateway | 2.16.840.1.113883.3.138.3.14 | PCH Production Source System | 2.16.840.1.113883.4.352.1.1 |
| DATA PARTNER OIDs (TESTING) | | | | | |
| MIHS | 2.16.840.1.113883.3.154 | MIHS Testing Gateway | 2.16.840.1.113883.3.138.3.8 | MIHS Testing Emulator | 2.16.840.1.113883.3.154.1.2 |
| SonoraQuest | 2.16.840.1.113883.3.174 | SonoraQuest Testing Gateway | 2.16.840.1.113883.3.138.3.9 | Sonora Quest Testing Emulator | 2.16.840.1.113883.3.174.1.2 |
| CHW | 2.16.840.1.113883.3.181 | CHW Testing Gateway | 2.16.840.1.113883.3.138.3.10 | CHW Testing Emulator | 2.16.840.1.113883.3.181.1.2 |
| Banner Heart Hospital | 2.16.840.1.114222.4.1.4844 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| Banner Baywood Medical Center | 2.16.840.1.114222.4.1.4828 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| Banner Gateway Medical Center | 2.16.840.1.114222.4.1.213015 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| Banner Desert Medical Center | 2.16.840.1.114222.4.1.4825 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| Page Community Hospital | 2.16.840.1.114222.4.1.4832 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| Banner Estrella Medical Center | 2.16.840.1.114222.4.1.4830 | Banner Testing Gateway | 2.16.840.1.113883.3.138.3.11 | Banner Testing Emulator | 2.16.840.1.114222.4.1.4824.1.2 |
| AHCCS HIE RX Vendor | 2.16.840.1.113883.3.182 | RX Vendor Testing Gateway | 2.16.840.1.113883.3.138.3.12 | Rx Vendor Testing Source System | 2.16.840.1.113883.3.182.1.2 |
| Phoenix Children's Hospital | 2.16.840.1.113883.4.352 | PCH Testing Gateway | 2.16.840.1.113883.3.138.3.15 | PCH Testing Source System | 2.16.840.1.113883.4.352.1.2 |

Code System Value Sets

Data Partner Type Code System Value Set

These are valid values for data partner type code system based on NUCC code system 2.16.840.1.113883.11.19465. Data partner organizations shall be classified using the NUCC code system with identification.

| Code Value | displayName |
|------------|---------------------|
| 291U00000X | Lab Services |
| 282N00000X | Acute Care Facility |
| 251K00000X | Registry |
| 3336M0003X | Rx Manager |
| 3336C0003X | Retail Pharmacies |

Record Type Code System Value Set

These values are a subset for all record types as defined by LOINC code system 2.16.840.1.113883.6.1. For a complete list, see appendix A.

| Code Value | Name |
|------------|--------------------|
| 10160-0 | Med History |
| 26436-6 | Lab Result |
| 42348-3 | Advanced Directive |
| 34105-7 | Discharge Summary |

Publish Action Types Value Set

These are all the valid values for Publish Action Type Code System (2.16.840.1.113883.4.275.4.10).

| Code Value | Description |
|------------|------------------------------------|
| NEW | New Publish |
| UPDATE | Update a published record |
| DELETE | Logical Delete of published record |

Publish Result Code Value Set

Publish Result Code Value Set (2.16.840.1.113883.4.275.4.13)

Set to "SUCCESS", if published was successful

Set to "FAILURE", if published failed

Consent Codes Value Set

Consent Codes are either "true" for opt-in or "false" for opt-out. These are valid values for code system 2.16.840.1.113883.4.275.4.11.

Multiple Birth Valid Value Set

Multiple Birth valid values are either “true” for multiple birth patients (e.g. twins), otherwise is “false”. These are valid values for code system 2.16.840.1.113883.4.275.4.12.

AMIE Message Specifications

The following message types encompass all the types of messages supported by the AMIE application interfaces. These application interfaces include the include Viewer interface, RLS interface, Emulator Interfaces.

[Record Locator Service Publish Request Specification](#)

[Record Locator Service Publish Response Specification](#)

[Lookup Patient Request Specification](#)

[Lookup Patient Response Specification](#)

[Lookup Patient Record Request Specification](#)

[Lookup Patient Record Response Specification](#)

[Retrieve Record Request Specification](#)

Retrieve Record Response Specifications

[Sonora Quest Lab Results Specification](#)

This data map contains the data elements definition and data source in the HL7 2.X ORU message for the data elements in the XML samples.

[Banner Discharge Summary Specification](#)

This data map contains the data elements definition and data source in the HL7 2.X MDM message for the data elements in the XML samples.

[SJHMC Discharge Summary Specification](#)

This data map contains the data elements definition and data source in the HL7 2.X MDM message for the data elements in the XML samples.

[MIHS Discharge Summary Specification](#)

This data map contains the data elements definition and data source in the HL7 2.X MDM message for the data elements in the XML samples.

MCPC Medication History Specification

This data map contains the data elements definition and data source in the medication history source file for the data elements in the XML samples.

AMIE Message XML Samples

Record Locator Service Publish Request Sample

This sample shows how a publish message may look when publishing a discharge summary.

```
<?xml version="1.0" encoding="utf-8"?>
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:mif="urn:hl7-org:v3/mif" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/>
  <id root="aff93fed-9c98-4e7d-9de3-00b7f63e876c"/>
  <code code="34133-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Summarization of
Episode note" />
  <title>Patient Record Publish Request</title>
  <effectiveTime value="20071220090300-0700"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" />
  <languageCode code="en-US"/>
  <recordTarget>
    <patientRole>
      <!-- root=Source System ID, extension=Source System Extension, MANDATORY -->
      <id extension="123456" root="2.16.840.1.113883.3.138.2.1" assigningAuthorityName="MRN"/>
      <!-- root=AHCCCS, extension=AHCCCID, OPTIONAL -->
      <id extension="A11400663" root="2.16.840.1.113883.4.275" assigningAuthorityName="AHCCCSID" />
      <!-- root=AHCCCS, extension=InsuranceId, OPTIONAL -->
      <id extension="8954864893" root="2.16.840.1.113883.4.275.4.2" assigningAuthorityName="INSURANCE" />
      <!-- root=AHCCCS, extension=SSN, OPTIONAL-->
      <id extension="1197" root="2.16.840.1.113883.4.275.4.3" assigningAuthorityName="LAST4SSN" />
      <!-- root=AHCCCS, extension=Multiple Births?, OPTIONAL-->
      <id extension="false" root="2.16.840.1.113883.4.275.4.12" assigningAuthorityName="MULTIPLE_BIRTH" />
      <addr>
        <!-- Patient Address, OPTIONAL -->
        <streetAddressLine>721 N Central Ave</streetAddressLine>
        <!-- Patient Address Line 2, OPTIONAL-->
        <streetAddressLine>Suite B</streetAddressLine>
        <!-- Patient City, OPTIONAL-->
        <city>Phoenix</city>
        <!-- Patient State, OPTIONAL-->
        <state>AZ</state>
        <!-- Patient ZIP, MANDATORY-->
        <postalCode>85007</postalCode>
      </addr>
    </patientRole>
  </recordTarget>
  <name>
    <!-- Patient Prefix, OPTIONAL-->
```

```

    <prefix>Dr.</prefix>
    <!-- Patient First Name, MANDATORY-->
    <given>Anthony</given>
    <!-- Patient Middle Initial, OPTIONAL-->
    <given qualifier="IN">W</given>
    <!-- Patient Last Name, MANDATORY-->
    <family>Christianson</family>
    <!-- Patient Suffix, OPTIONAL-->
    <suffix>Jr</suffix>
  </name>
  <!-- Patient Gender, MANDATORY-->
  <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1" />
  <!-- Patient Birthdate, MANDATORY-->
  <birthTime value="19720428"/>
</patient>
<providerOrganization>
  <!-- Source System ID, MANDATORY-->
  <id root="2.16.840.1.113883.3.138.2.1"/>
  <!-- Source System Name, MANDATORY-->
  <name>Source System Name</name>
</providerOrganization>
</patientRole>
</recordTarget>
<author>
  <time value="20071226154039-0700"/>
  <assignedAuthor>
    <!-- Gateway OID, MANDATORY -->
    <id root="2.16.840.1.113883.3.138.3.3" />
    <representedOrganization>
      <!-- Organization OID, MANDATORY-->
      <id root="2.16.840.1.113883.3.138.2" />
      <!-- Organization Name, MANDATORY-->
      <name>Organization Name</name>
      <addr>
        <!-- Organization City, MANDATORY-->
        <city>Organization City</city>
        <!-- Organization State, MANDATORY-->
        <state>Organization State</state>
        <!-- Organization ZIP Code, MANDATORY-->
        <postalCode>Organization Postal Code</postalCode>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <!-- Organization OID, MANDATORY-->
      <id root="2.16.840.1.113883.3.138.2"/>
      <!-- Organization Name, OPTIONAL-->
      <name>Organization Name</name>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<documentationOf>
  <serviceEvent classCode="PCPR">
    <effectiveTime>

```



```

        <code code="34105-7" codeSystem="2.16.840.1.113883.6.1" displayName="Discharge summarization note">
          <!-- Encounter Descriptor, MANDATORY -->
          <originalText>Discharge Summary</originalText>
        </code>
        <!-- Encounter Time, MANDATORY -->
        <effectiveTime value="20070401" />
      </encounter>
    </entry>
  </section>
</component>
</structuredBody>
</component>
</ClinicalDocument>

```

Record Locator Service Publish Response Sample

This is a sample for a publish response that notifies Emulator that the publish operation successfully completed.

```

<?xml version="1.0" encoding="utf-8"?>
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:mif="urn:hl7-org:v3/mif" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/>
  <id root="aff93fed-9c98-4e7d-9de3-00b7f63e876c"/>
  <code code="34133-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Summarization of
Episode note" />
  <title>Patient Record Publish Response</title>
  <effectiveTime value="20071220090300-0700"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" />
  <languageCode code="en-US"/>
  <recordTarget>
    <patientRole>
      <!-- root=Source System ID, extension=Source System Extension, MANDATORY -->
      <id extension="123456" root="2.16.840.1.113883.3.138.2.1" assigningAuthorityName="MRN"/>
      <addr>
        <!-- Patient ZIP, MANDATORY -->
        <postalCode>85007</postalCode>
      </addr>
      <patient>
        <name>
          <!-- Patient First Name, MANDATORY -->
          <given>Anthony</given>
          <!-- Patient Last Name, MANDATORY -->
          <family>Christianson</family>
        </name>
        <!-- Patient Gender, MANDATORY -->
        <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1" />
        <!-- Patient Birthdate, MANDATORY -->
        <birthTime value="19720428"/>
      </patient>
      <providerOrganization>
        <!-- Source System ID, MANDATORY -->
        <id root="2.16.840.1.113883.3.138.2.1"/>

```

```

    <!--Source System Name, MANDATORY-->
    <name>Source System Name</name>
  </providerOrganization>
</patientRole>
</recordTarget>
<author>
  <time value="20071226154039-0700"/>
  <assignedAuthor>
    <!-- Gateway OID, MANDATORY -->
    <id root="2.16.840.1.113883.19.5" />
    <representedOrganization>
      <!-- Organization OID, MANDATORY-->
      <id root="2.16.840.1.113883.3.138.2" />
      <!-- Organization Name, MANDATORY-->
    </representedOrganization>
    </assignedAuthor>
  </author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <!-- Organization OID, MANDATORY-->
      <id root="2.16.840.1.113883.3.138.2"/>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<documentationOf>
  <serviceEvent classCode="PCPR">
    <effectiveTime>
      <low value="19800101"/>
      <high value="20071220"/>
    </effectiveTime>
  </serviceEvent>
</documentationOf>
<authorization>
  <consent>
    <!-- OPT OUT? -->
    <code code="false" codeSystem="2.16.840.1.113883.4.275.4.11" codeSystemName="CONSENT_CODES"/>
    <statusCode code="completed"/>
  </consent>
</authorization>
<component>
  <structuredBody>
    <component>
      <section>
        <!-- Purpose Section Template-->
        <templateId root="2.16.840.1.113883.10.20.1.13"/>
        <code code="48764-5" codeSystem="2.16.840.1.113883.6.1" displayName="Summary purpose"/>
        <title>purpose</title>
        <text>Purpose Section</text>
        <entry typeCode="DRIV">
          <act classCode="ACT" moodCode="EVN">
            <!-- Purpose activity template -->
            <templateId root="2.16.840.1.113883.10.20.1.30"/>
            <code code="23745001" codeSystem="2.16.840.1.113883.6.96" displayName="Documentation procedure"/>
            <statusCode code="completed"/>
            <entryRelationship typeCode="RSON">
              <act classCode="ACT" moodCode="RQO">

```

```

        <!--PUBLISH RESULT (VALID VALUES ARE "FAILURE" OR "SUCCESSFUL"), MANDATORY-->
        <code code="SUCCESSFUL" codeSystem="2.16.840.1.113883.4.275.4.13"
        codeSystemName="PUBLISH_RESULT"></code>
        <statusCode code="completed"/>
    </act>
</entryRelationship>
</act>
</entry>
</section>
</component>
</structuredBody>
</component>
</ClinicalDocument>

```

Lookup Patient Request Sample

This is a sample for a patient search for Jim D. Jones, Male Born in 08/04/1963

```

<?xml version="1.0" encoding="UTF-8"?>
<PRPA_IN201305UV xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 multicacheschemas/PRPA_IN201305UV.xsd"
xmlns="urn:hl7-org:v3"
ITSVersion="XML_1.0">
  <id extension="MESSAGEID" root="2.16.840.1.113883.4.275.4.9"/>
  <creationTime value="20070428150301-0700"/>
  <interactionId root="2.16.840.1.113883.1.6" extension="PRPA_IN201305UV"/>
  <processingCode code="P"/>
  <processingModeCode code="T"/>
  <acceptAckCode code="ER"/>
  <receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
      <!--Directory Services Source System ID-->
      <id root="2.16.840.1.113883.4.275.3.138.4"/>
      <!--web service to be called and for which this message is going to be used as parameter-->
      <softwareName>AHCCCS HIE Directory Services</softwareName>
      <asAgent classCode="AGNT">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <id root="2.16.840.1.113883.3.138"/>
          <name>AHCCCS</name>
        </representedOrganization>
      </asAgent>
    </device>
  </receiver>
  <sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">
      <id root="2.16.840.1.113883.3.138.3"/>
      <softwareName>AHCCCS Viewer</softwareName>
      <asAgent classCode="AGNT">
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <id root="2.16.840.1.113883.3.138"/>
          <name>AHCCCS</name>
        </representedOrganization>
      </asAgent>
    </device>
  </sender>

```

```

</sender>
<controlActProcess moodCode="RQO">
  <code code="PRPA_TE201305UV" codeSystem="2.16.840.1.113883.1.6"/>
  <languageCode code="en-US"/>
  <authorOrPerformer typeCode="PRF">
    <assignedPerson classCode="ASSIGNED">
      <id extension="2333333" root="2.16.840.1.113883.3.138.3" assigningAuthorityName="VIEWER USER ID"/>
      <assignedPerson determinerCode="INSTANCE" classCode="PSN">
        <name>
          <given>Maria</given>
          <given qualifier="IN">D</given>
          <family>Garcia</family>
        </name>
      </assignedPerson>
    </assignedPerson>
  </authorOrPerformer>
<queryByParameter>
  <queryId nullFlavor="NI"/>
  <statusCode code="new"/>
  <initialQuantity value="1000"/>
  <matchCriterionList>
    <minimumDegreeMatch>
      <value xsi:type="INT" value="100"/>
      <semanticsText>Degree of match requested</semanticsText>
    </minimumDegreeMatch>
  </matchCriterionList>
  <parameterList>
    <!--Gender-->
    <livingSubjectAdministrativeGender>
      <value code="M"/>
      <semanticsText>LivingSubject.administrativeGender</semanticsText>
    </livingSubjectAdministrativeGender>
    <!--Date of Birth-->
    <livingSubjectBirthTime>
      <value value="19630804"/>
      <semanticsText>LivingSubject.birthTime</semanticsText>
    </livingSubjectBirthTime>
    <livingSubjectId>
      <value extension="AHCCCS ID" root="2.16.840.1.113883.4.275"/>
      <semanticsText>LivingSubject.id</semanticsText>
    </livingSubjectId>
    <livingSubjectId>
      <value extension="MRN" root="2.16.840.1.113883.4.275.4.1"/>
      <semanticsText>LivingSubject.id</semanticsText>
    </livingSubjectId>
    <livingSubjectId>
      <value extension="INSURANCE ID" root="2.16.840.1.113883.4.275.4.2"/>
      <semanticsText>LivingSubject.id</semanticsText>
    </livingSubjectId>
    <livingSubjectId>
      <value extension="LAST4SSN" root="2.16.840.1.113883.4.275.4.3"/>
      <semanticsText>LivingSubject.id</semanticsText>
    </livingSubjectId>
    <livingSubjectName>
      <value>
        <!--First Name-->
        <given>Jimmy</given>

```



```

        <!--Middle Name-->
        <given qualifier="IN">D</given>
        <!-- Last Name-->
        <family>Jones</family>
    </value>
    <semanticsText>LivingSubject.name</semanticsText>
</livingSubjectName>
<!--Address -->
<patientAddress>
    <value>
        <streetAddressLine>1099 E Main St</streetAddressLine>
        <streetAddressLine>Unit 12</streetAddressLine>
        <city>Phoenix</city>
        <state>AZ</state>
        <!--ZipCode-->
        <postalCode>85044</postalCode>
    </value>
    <semanticsText>Patient.addr</semanticsText>
</patientAddress>
</parameterList>
</queryByParameter>
</controlActProcess>
</PRPA_IN201305UV>

```

Lookup Patient Response Sample

This sample is for a message generated by RLS to return a list of matching patients. In this sample only two patients were returned.

```

<?xml version="1.0" encoding="UTF-8"?>
<PRPA_IN201306UV xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:hl7-org:v3 multicateschemas/PRPA_IN201306UV.xsd"
  xmlns="urn:hl7-org:v3" ITSVersion="XML_1.0">
  <id root="2.16.840.1.113883.4.275.4.9" extension="MESSAGEID"/>
  <creationTime value="20070428150302-0700"/>
  <interactionId root="2.16.840.1.113883.1.6" extension="PRPA_IN201306UV"/>
  <processingCode code="P"/>
  <processingModeCode code="T"/>
  <acceptAckCode code="NE"/>
  <receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
      <id root="2.16.840.1.113883.3.138.3"/>
      <softwareName>AHCCCS Viewer</softwareName>
      <asAgent classCode="AGNT">
        <representedOrganization determinerCode="INSTANCE" classCode="ORG">
          <id root="2.16.840.1.113883.3.138"/>
          <name>AHCCCS</name>
        </representedOrganization>
      </asAgent>
    </device>
  </receiver>
  <sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">

```

```

        <!--Source System Code system-->
        <id root="2.16.840.1.113883.3.138.4"/>
        <telecom value="http://svhiedev04/NHIN/Directory/DirectoryPatientSearchService.asmx"/>
        <!--web service to be called and for which this message is going to be used as parameter-->
        <softwareName>AHCCCS HIE Directory Services</softwareName>
        <asAgent classCode="AGNT">
            <representedOrganization classCode="ORG" determinerCode="INSTANCE">
                <id root="2.16.840.1.113883.3.138"/>
                <name>AHCCCS</name>
            </representedOrganization>
        </asAgent>
    </device>
</sender>
<controlActProcess moodCode="EVN">
    <code code="PRPA_TE201306UV" codeSystem="2.16.840.1.113883.1.6"/>
    <subject typeCode="SUBJ">
        <registrationEvent>
            <id nullFlavor="NA"/>
            <statusCode code="active"/>
            <!--START OF PATIENT ONE INFORMATION-->
            <subject1>
                <patient classCode="PAT">
                    <id root="2.16.840.1.113883.4.275" extension="A23456897" assigningAuthorityName="AHCCCS"/>
                    <id root="2.16.840.1.113883.4.275.4.3" extension="9900"
                        assigningAuthorityName="LAST4SSN"/>
                    <id root="2.16.840.1.113883.4.275.4.8" extension="1234"
                        assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
                    <statusCode code="active"/>
                    <patientPerson>
                        <name>
                            <given>James</given>
                            <given qualifier="IN">D</given>
                            <family>Jones</family>
                        </name>
                        <administrativeGenderCode code="M"/>
                        <birthTime value="19630804"/>
                        <addr>
                            <streetAddressLine>3443 North Arctic Avenue</streetAddressLine>
                            <streetAddressLine>Unit 12</streetAddressLine>
                            <city>Phoenix</city>
                            <state>AZ</state>
                            <postalCode>85044</postalCode>
                        </addr>
                    </patientPerson>
                    <subjectOf1>
                        <queryMatchObservation>
                            <code code="IHE_PDQ"/>
                            <value xsi:type="INT" value="92"/>
                        </queryMatchObservation>
                    </subjectOf1>
                </patient>
            </subject1>
            <queryByParameter>
                <queryId nullFlavor="NI"/>
                <statusCode code="new"/>
                <initialQuantity value="1000"/>
                <parameterList nullFlavor="NI"/>
            </queryByParameter>
        </subject1>
    </registrationEvent>
</subject>
</controlActProcess>
</sender>

```

```

</subject1>
<custodian typeCode="CST">
  <assignedEntity classCode="ASSIGNED">
    <id root="2.16.840.1.113883.3.138"/>
  </assignedEntity>
</custodian>
</registrationEvent>
</subject>
<subject typeCode="SUBJ">
  <registrationEvent>
    <id nullFlavor="NA"/>
    <statusCode code="active"/>
    <!--START OF PATIENT TWO IINFORMATION-->
    <subject1>
      <patient classCode="PAT">
        <id root="2.16.840.1.113883.4.275" extension="A23456897" assigningAuthorityName="AHCCCS"/>
        <id root="2.16.840.1.113883.4.275.4.3" extension="9900"
          assigningAuthorityName="LAST4SSN"/>
        <id root="2.16.840.1.113883.4.275.4.8" extension="1234"
          assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
        <statusCode code="active"/>
        <patientPerson>
          <name>
            <given>Jim</given>
            <given qualifier="IN">D</given>
            <family>Jones</family>
          </name>
          <administrativeGenderCode code="M"/>
          <birthTime value="19630804"/>
          <addr>
            <streetAddressLine>3443 North Arctic Avenue</streetAddressLine>
            <streetAddressLine>Unit 12</streetAddressLine>
            <city>Phoenix</city>
            <state>AZ</state>
            <postalCode>85044</postalCode>
          </addr>
        </patientPerson>
        <subjectOf1>
          <queryMatchObservation>
            <code code="IHE_PDQ"/>
            <value xsi:type="INT" value="92"/>
          </queryMatchObservation>
        </subjectOf1>
      </patient>
      <queryByParameter>
        <queryId nullFlavor="NI"/>
        <statusCode code="new"/>
        <initialQuantity value="1000"/>
        <parameterList nullFlavor="NI"/>
      </queryByParameter>
    </subject1>
    <custodian typeCode="CST">
      <assignedEntity classCode="ASSIGNED">
        <id root="2.16.840.1.113883.3.138"/>
      </assignedEntity>
    </custodian>
  </registrationEvent>

```

```

</subject>
<queryAck>
  <queryId nullFlavor="NI"/>
  <queryResponseCode code="OK"/>
  <resultTotalQuantity value="2"/>
  <resultCurrentQuantity value="2"/>
  <resultRemainingQuantity value="0"/>
</queryAck>
</controlActProcess>
</PRPA_IN201306UV>

```

Lookup Patient Record Request Sample

This sample shows a message used by viewer to query for available records available for a specific patient.

```

<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/CCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <!--
  *****
  CDA Header
  *****
  -->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/>
  <!-- CCD v1.0 Templates Root -->
  <id root="db734647-fc99-424c-a864-7e3cda82e703"/>
  <!-- Message Type ID - Can be a GUID or Unique Integer -->
  <code code="QIQU_IN000003UV" codeSystem="2.16.840.1.113883.4.275.5" displayName="AHCCCS Patient Record
Lookup Request"/>
  <title>AHCCCS Continuity of Care Document for RLS Request</title>
  <effectiveTime value="20000407130000+0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="en-US"/>
  <recordTarget>
    <patientRole>
      <!--extension is MRN and root is source system ID###-->
      <id extension="1234567" root="2.16.840.1.113883.3.138.4" assigningAuthorityName="MRN"/>
      <!-- AHCCCS SEARCH INDEX THIS FIELD MAY REPEAT SEVERAL TIMES-->

      <id extension="908765555" root="2.16.840.1.113883.4.275.4.8"
        assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
      <!-- AHCCCS SEARCH INDEX-->
      <id extension="908765555" root="2.16.840.1.113883.4.275.4.8"
        assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
      <!--Street Address###-->
      <addr>
        <streetAddressLine>123 Main</streetAddressLine>
        <streetAddressLine>Apt 32</streetAddressLine> <!--Optionnal-->
        <city>Phoenix</city> <!--Optionnal-->
        <state>AZ</state> <!--Optionnal-->

```

```

    <postalCode>85380</postalCode>
  </addr>
</patient>
  <name>
    <!-- First Name###-->
    <!--USE Null Flavor= OTH when given or family is incomplete-->
    <given nullFlavor="OTH">CAR</given>
    <!--Middle Initial###-->
    <given qualifier="IN">D</given>
    <!--Last Name###-->
    <family>AUGUSTE</family>
  </name>
  <!--Gender ###-->
  <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1"/>
  <!--DOB ###-->
  <birthTime value="19920426"/>
</patient>
<providerOrganization>
  <!-- Requesting Organization's OID -->
  <id root="2.16.840.1.113883.3.96.3.31"/>
  <name>Test Hospital</name>
</providerOrganization>
</patientRole>
</recordTarget>
<!-- Requesting organization/person's info -->
<author>
  <time value="20000407130000-0700"/>
  <assignedAuthor>
    <!-- Provider of care's NPI -->
    <id root="20cf14fb-b65c-4c8c-a54d-b0cca834c18c"/>
    <assignedPerson>
      <name>
        <prefix>Dr.</prefix>
        <given>Dan</given>
        <family>Nigrin</family>
      </name>
    </assignedPerson>
    <representedOrganization>
      <!-- CHB's MA-SHARE OID -->
      <id root="2.16.840.1.113883.3.96.3.31"/>
      <name>Childrens Hospital of Boston</name>
    </representedOrganization>
  </assignedAuthor>
</author>
<!-- Typically same as the author...or use it to specify Data Partner type.... -->
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id root="2.16.840.1.113883.3.96.3.31"/>
      <name>Childrens Hospital of Boston</name>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<!--

```

CDA Body - NOT USED BUT NEED TO BE THERE FOR SCHEMA VALIDATION

```

-->
  <component>
    <structuredBody>

                                <component>
                                  <section></section>
                                </component>

    </structuredBody>
  </component>
</ClinicalDocument>

```

Lookup Patient Record Response Sample

This is a sample message showing how RLS may return two records in a list for two different patients. This is an example for one record for each patient record.

```

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<!-- RLS Response -->
<ClinicalDocument xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd" xmlns="urn:hl7-org:v3">
  <!-- ***** -->
  <!-- CDA Header -->
  <!-- ***** -->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040" />
  <templateId root="2.16.840.1.113883.10.20.1" />
  <!-- CCD v1.0 Templates Root -->
  <id root="aff93fed-9c98-4e7d-9de3-00b7f63e876c" />
  <code code="QIQU_IN000004UV" codeSystem="2.16.840.1.113883.4.275.5" displayName="Patient Record Lookup Response"
/>
  <title>Record Lookup Response</title>
  <effectiveTime value="20071207204156-0700" />
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" />
  <languageCode code="en-US" />
  <!-- ***** -->
  <!-- Patient Record 1 -->
  <!-- ***** -->
  <recordTarget>
    <patientRole>
      <!-- id extension="Patient's AHCCCS ID" root="OID for AHCCCS ID Code System####" -->
      <id extension="AHCCCS" root="2.16.840.1.113883.4.275" assigningAuthorityName="AHCCCSID"/>
      <!-- Root=Source System ID and extension is MRN#### -->
      <id extension="1234567" root="2.16.840.1.113883.4.275.4.1" assigningAuthorityName="MRN"/>
      <!-- Insurance ID, Coding System (Alternate ID Type), ID Type#### -->
      <id extension="66661234567" root="2.16.840.1.113883.4.275.4.2"
assigningAuthorityName="INSURANCE"/>
      <!-- Last four digits of SSN #### -->
      <id extension="6666" root="2.16.840.1.113883.4.275.4.3" assigningAuthorityName="LAST4SSN"/>
      <!-- Street Address#### -->
      <!-- AHCCCS SEARCH INDEX -->
      <id extension="908765555" root="2.16.840.1.113883.4.275.4.8"
assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
      <addr>

```

```

        <!--Street Address ###-->
        <streetAddressLine>100 Main St</streetAddressLine>
        <streetAddressLine>Apt 3</streetAddressLine>
        <!--City ###-->
        <city>Phoenix</city>
        <!-- State ###-->
        <state>AZ</state>
        <postalCode>85044</postalCode>
    </addr>
    <patient>
        <name>
            <!--First Name ###-->
            <given>Henry</given>
            <!--Middle Initial ###-->
            <given qualifier="IN">A</given>
            <!--Last Name ###-->
            <family>Smith</family>
            <suffix>the 9th</suffix>
        </name>
        <!--Gender ###-->
        <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
        <!--DOB ###-->
        <birthTime value="19320925"/>
    </patient>
    <providerOrganization>
        <!--Data Partner ID /Same as Gateway ID ###-->
        <id root="2.16.840.1.113883.3.138.1"/>
        <!--Record Source Name ###-->
        <name>Banner Health</name>
        <telecom use="AS" value="ddd"/>
        <addr>
            <city>Phoenix</city>
            <state>AZ</state>
            <postalCode>85034</postalCode>
        </addr>

        <!--Data Partner Type based on NUCC Classification System for Providers ###-->
        <standardIndustryClassCode code="282N00000X" codeSystem="2.16.840.1.113883.11.19465"
            displayName="General Acute Care Hospital" codeSystemName="NUCC Health Care Provider
            Taxonomy"/>
    </providerOrganization>
</patientRole>
</recordTarget>
<!-- ***** -->
<!-- Patient Record 2 -->
<!-- ***** -->
    <recordTarget>
        <patientRole>
            <!-- id extension="Patient's AHCCCS ID" root="AHCCCS ID CODE SYSTEM OID####" -->
            <id extension="AHCCCS" root="2.16.840.1.113883.4.275" assigningAuthorityName="AHCCCSID"/>
            <!--Root=Source System ID and extension is MRN###-->
            <id extension="999999" root="2.16.840.1.113883.4.275.4.1" assigningAuthorityName="MRN"/>
            <!-- Insurance ID, Coding System (Alternante ID Type), ID Type###-->
            <id extension="66661234567" root="2.16.840.1.113883.4.275.4.2"
                assigningAuthorityName="INSURANCE"/>
            <!-- Last four digits of SSN ###-->
            <id extension="6666" root="2.16.840.1.113883.4.275.4.3" assigningAuthorityName="LAST4SSN"/>
        </patientRole>
    </recordTarget>

```

```

<!--Street Address###-->
<!-- AHCCCS SEARCH INDEX-->
<id extension="908765555" root="2.16.840.1.113883.4.275.4.8"
assigningAuthorityName="AHCCCS_SEARCH_INDEX"/>
<addr>
  <!--Street Address ###-->
  <streetAddressLine>100 Main St</streetAddressLine>
  <streetAddressLine>Apt 3</streetAddressLine>
  <!--City ###-->
  <city>Phoenix</city>
  <!-- State ###-->
  <state>AZ</state>
  <postalCode>85044</postalCode>
</addr>
<patient>
  <name>
    <!--First Name ###-->
    <given>Henry</given>
    <!--Middle Initial ###-->
    <given qualifier="IN">A</given>
    <!--Last Name ###-->
    <family>Smith</family>
    <suffix>the 9th</suffix>
  </name>
  <!--Gender ###-->
  <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
  <!--DOB ###-->
  <birthTime value="19320925"/>
</patient>
<providerOrganization>
  <!--Gateway ID ###-->
  <id root="2.16.840.1.113883.3.138.1" assigningAuthorityName="GATEWAYID"/>
  <!-- Data Partner ID -->
  <id root="2.16.840.1.113883.3.138.1" assigningAuthorityName="ORGANIZATIONID"/>
  <!--Record Source Name ###-->
  <name>Banner Health</name>
  <addr>
    <city>Phoenix</city>
    <state>AZ</state>
    <postalCode>85034</postalCode>
  </addr>
  <!--Data Partner Type based on NUCC Classification System for Providers ###-->
  <standardIndustryClassCode code="282N00000X" codeSystem="2.16.840.1.113883.11.19465"
  displayName="General Acute Care Hospital" codeSystemName="NUCC Health Care Provider
  Taxonomy"/>
</providerOrganization>
</patientRole>
</recordTarget>
<!--*****-->
<author>
  <time value="20071207204156-0700" />
  <assignedAuthor>
    <id root="20cf14fb-b65c-4c8c-a54d-b0cca834c18c" />
    <assignedAuthoringDevice>
      <softwareName>AHCCCS HIE Directory Service</softwareName>
    </assignedAuthoringDevice>
    <representedOrganization>

```



```

        <id root="2.16.840.1.113883.3.138" />
        <name>Arizona Health Care Containment System</name>
    </representedOrganization>
</assignedAuthor>
</author>
<custodian>
    <assignedCustodian>
        <representedCustodianOrganization>
            <id root="2.16.840.1.113883.3.138" />
            <name>Arizona Health Care Containment System</name>
        </representedCustodianOrganization>
    </assignedCustodian>
</custodian>
<!-- ***** -->
<!-- CDA Body -->
<!-- ***** -->
<component>
    <structuredBody>
        <!-- ***** -->
        <!-- Purpose section -->
        <!-- ***** -->
        <component>
            <section />
        </component>
        <!--
        *****
        Encounters section for patient 1
        *****
        -->
        <component>
            <section>
                <templateId root="2.16.840.1.113883.10.20.1.3"/>
                <!--MRN Coding System (Alternante ID Type), ID Type###-->
                <id extension="1234567" root="2.16.840.1.113883.4.275.4.1" assigningAuthorityName="MRN"/>
                <code code="46240-8" codeSystem="2.16.840.1.113883.6.1"/>
                <title>Descriptors</title>
                <text>
                    <paragraph>
                        <caption>AHCCCS_SEARCH_INDEX</caption>
                        <content>4333</content>
                    </paragraph>
                    <table>
                        <thead>
                            <tr>
                                <th>Record ID</th>
                                <th>Record Type</th>
                                <th>Date of Service (yyyyMMdd)</th>
                                <th>Descriptor</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr><td>21345432</td><td>LAB</td><td>20071112</td><td>Blood Test</td></tr>
                            <tr><td>23453222</td><td>LAB</td><td>20071112</td><td>Urine Test</td></tr>
                            <tr><td>543543XYS</td><td>LAB</td><td>20070313</td><td>Blood Test</td></tr>
                            <tr><td>AB95676</td><td>DS</td><td>20040809</td><td>Discharge Summary</td></tr>
                        </tbody>
                    </table>
                </text>
            </section>
        </component>
    </structuredBody>
</component>

```

```

        </text>
    </section>
</component>
<!--
*****
Encounters section for patient 2
*****
-->
<component>
<section>
    <templateId root="2.16.840.1.113883.10.20.1.3"/>
    <!--MRN Coding System (Alternante ID Type), ID Type###-->
    <id extension="999999" root="2.16.840.1.113883.4.275.4.1" assigningAuthorityName="MRN"/>
    <code code="46240-8" codeSystem="2.16.840.1.113883.6.1"/>
    <title>Descriptors</title>
    <text>
    <paragraph>
        <caption>AHCCCS_SEARCH_INDEX</caption>
        <content>4333</content></paragraph>
        <table>
            <thead>
                <tr><th>Record ID</th>
                <th>Record Type</th>
                <th>Date of Service (yyyyMMdd)</th>
                <th>Descriptor</th></tr>
            </thead>
            <tbody>
                <!-- Matrix contains Record ID, Record Type, Date of Service and Descriptor (From Left to right)-->
                <tr><td>P3454</td><td>LAB</td><td>1/21/2006</td><td>Urine Test</td></tr>
                <tr><td>877778</td><td>DS</td><td>6/23/2005</td><td>Discharge Summary</td></tr>
            </tbody>
        </table>
    </text>
    </section>
</component>
</structuredBody>
</component>
</ClinicalDocument>

```

Retrieve Record Request Sample

```

<?xml version="1.0" encoding="UTF-8"?>
<RCMR_IN000031UV01 ITSVersion="XML_1.0" xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 multicalschemas¥RCMR_IN000031UV01.xsd">
    <id extension="MESSAGEID" root="2.16.840.1.113883.4.275.4.9"/>
    <creationTime value="20070428150301-0700"/>
    <interactionId root="2.16.840.1.113883.1.6" extension="RCMR_IN000031UV01"/>
    <processingCode code="P"/>
    <processingModeCode code="T"/>
    <acceptAckCode code="AL"/>
    <receiver typeCode="RCV">
        <!-- telecom = GATEWAY ID-->
        <telecom value="2.16.840.1.113883.4.275.3.138.3.2"/>
        <device classCode="DEV" determinerCode="INSTANCE">

```

```

        <!--AHCCCS HIE SOURCE SYSTEM ID/ EMULATOR SYSTEM-->
<id root="2.16.840.1.113883.4.275.3.138.5"/>
<asAgent classCode="AGNT">
    <representedOrganization determinerCode="INSTANCE" classCode="ORG">
        <id root="2.16.840.1.113883.3.138"/>
        <name>SOME HOSPITAL</name>
    </representedOrganization>
</asAgent>
</device>
</receiver>
<sender typeCode="SND">
    <device classCode="DEV" determinerCode="INSTANCE">
        <!-- SYSTEM ID OF SYSTEM GENERATING REQUEST-->
        <id root="2.16.840.1.113883.3.138.6"/>
        <softwareName>AHCCCS VIEWER</softwareName>
        <asAgent classCode="AGNT">
            <representedOrganization determinerCode="INSTANCE" classCode="ORG">
                <id root="2.16.840.1.113883.3.138"/>
                <name>AHCCCS</name>
            </representedOrganization>
        </asAgent>
    </device>
</sender>
    <controlActProcess classCode="ACTN" moodCode="RQO">
        <informationRecipient typeCode="PRCP">
            <assignedPerson classCode="ASSIGNED">
                <!-- EXTENSION= USER ID OF SYSTEM DOING RETRIEVE REQUEST
                ROOT= SYSTEM ID OF SYSTEM DOING REQUEST-->
                <id extension="USER_ID" root="2.16.840.1.113883.3.138.3"/>
                <!--VIEWER USER INFORMATION FOR AUDIT PURPOSES-->
            </assignedPerson>
        </informationRecipient>
        <queryByParameter>
            <clinicalDocument.id>
                <!-- OPTIONAL: EXTENSION VALUE=ACTIVITY ID and ROOT IS ALWAYS FIXED-->
                <value root="2.16.840.1.113883.4.275.4.14" extension="RECORD_ID"/>
            </clinicalDocument.id>
            <patient.id>
                <!--root= AHCCCS HIE SOURCE SYSTEM ID and extension= MRN-->
                <value root="2.16.840.1.113883.3.138" extension="MRN"/>
            </patient.id>
            <representedOrganization.id>
                <!--Organization ID root = ORGANIZATION ID -->
                <value root="2.16.840.1.113883.3.138"/>
            </representedOrganization.id>
        </queryByParameter>
    </controlActProcess>
</RCMR_IN000031UV01>

```

Retrieve Record Response Samples

Sonora Quest Lab Sample

```
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/LabResultsCCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <!--
*****
CDA Header
*****
-->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/> <!-- CCD v1.0 Templates Root -->
  <!-- MESSAGE ID
      id root is the id to identify Message ID. IT SHOULD MATCH THE REQUEST MESSAGE ID-->
    <id root="2.16.840"/>
  <!-- RECORD TYPE-->
  <code code="26436-6" codeSystem="2.16.840.1.113883.6.1" displayName="Lab Results"/>
  <title>Lab Results</title>
  <!-- LAB RESULTS COLLECTION DATE = OBR-7-->
  <effectiveTime value="20000407130000+0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="en-US"/>
  <!-- ORIGINAL RECORD ID FROM HL7 2.X Message BEFORE TRANSFORMATION
      setId extension is Original Record ID and root is the source system id for record ID (e.g. Data provider system)-->
  <setId extension="123" root="2.16.840.1.113883.3.154.1.2"/>
  <recordTarget>
    <patientRole>
      <!-- extension is AHCCCS ID for .csv file-->
      <id extension="A1234455656" root="2.16.840.1.113883.4.275"/>
      <!-- INSURANCE ID-->
      <id extension="12345678" root="2.16.840.1.113883.4.275.4.2"/>
      <!-- SSN = PID 19-->
      <id extension="3210" root="2.16.840.1.113883.4.275.4.3"/>
      <!-- SAME AS SOURCE SYSTEM ID and root for MRN-->
      <id extension="23456666" root="2.16.840.1.113883.3.154.1.2"/>
      <addr>
        <!-- PATIENT ADDRESS FROM .CSV DEMOGRAPHICS FILE -->
        <streetAddressLine>102 E. Some St.</streetAddressLine>
        <streetAddressLine>APT 3</streetAddressLine>
        <city>Phoenix</city>
        <state>AZ</state>
        <postalCode>85044</postalCode>
      </addr>
    </patientRole>
  </recordTarget>
</ClinicalDocument>
```

```

    <county>Maricopa</county>
  </addr>
  <!--PATIENTS PHONE NUMBER - .CSV DEMOGRAPHICS FILE-->
  <telecom value="tel:(999)555-1212" use="HP"/>
  <telecom value="tel:(999)555-1212" use="WP"/>
  <!--PATIENT'S NAME PID-5 OR .CSV FILE-->
  <patient>
    <name>
      <given>Jane</given>
      <given qualifier="IN">L</given>
      <family>Doe</family>
    </name>
    <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
    <birthTime value="19681108"/>
    <maritalStatusCode code="M" codeSystem="2.16.840.1.113883.5.2" displayName="Married"/>
    <religiousAffiliationCode code="1001" codeSystem="2.16.840.1.113883.5.1076"
displayName="Adventist"/>
    <raceCode code="2135-2" codeSystem="2.16.840.1.113883.5.104" displayName="Hispanic or
Latino"/>
    <ethnicGroupCode code="234" codeSystem="2.16.840.1.113883.5.50"/>
  </patient>
  <providerOrganization>
    <!--ORGANIZATION ID-->
    <id root="2.16.840.1.113883.3.154"/>
    <name>Sonora Quest Laboratories</name>
  </providerOrganization>
</patientRole>
</recordTarget>
<author>
  <!--RECEIVED DATE = OBR-14-->
  <time value="20000404"/>
  <assignedAuthor>
    <id nullFlavor="NI"/>
    <representedOrganization>
      <id root="2.16.840.1.113883.3.154"/>
      <name>Maricopa Integrated Hospital</name>
    </representedOrganization>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id root="2.16.840.1.113883.3.154"/>
      <name>Maricopa Integrated Hospital</name>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<informationRecipient>
  <intendedRecipient>
    <!--REQUESTING APPLICATION ID (e.g Viewer Appliaction)-->
    <id root="2.16.840.1.113883.3.138.1.3"/>
  </intendedRecipient>
</informationRecipient>
<participant typeCode="PRCP">
  <!-- ORDERING PHYSICIAN INFORMATION-->
  <associatedEntity classCode="PROV">
    <telecom value="tel:(999)555-1212"/>

```

```

        <associatedPerson>
            <name>
                <prefix>Dr.</prefix>
                <given>Rosa</given>
                <family>Martinez</family>
            </name>
        </associatedPerson>
    </associatedEntity>
</participant>
<inFulfillmentOf>
    <order>
        <!-- LAB REQUISITION NUMBER-->
        <id extension="MANUAL7777"/>
    </order>
</inFulfillmentOf>
<documentationOf>
    <serviceEvent classCode="PCPR">
        <!--EXTENSION = LAB ACCESSION ID/RECORD ID FROM HL7 2.X Message -->
        <id extension="123" root="2.16.840.1.113883.4.275.4.14"/>
        <!-- ID EXTENSION is Record ID/ENCOUNTER ID, this autogenerated by EMULATOR
        ID ROOT is EMULATOR SOURCE SYSTEM -->
        <id extension="234MANUAL" root="2.16.840.1.113883.3.154.1.2"/>
        <!-- LAB RESULTS REPORTED = OBR-06-->
        <effectiveTime value="20050304"/>
        <performer typeCode="PRF">
            <functionCode code="PCP" codeSystem="2.16.840.1.113883.5.88"/>
            <assignedEntity>
                <id root="2.16.840.1.113883.3.154"/>
                <representedOrganization>
                    <id root="2.16.840.1.113883.3.154"/>
                    <name>Maricopa Integrated Hospital System</name>
                </representedOrganization>
            </assignedEntity>
        </performer>
    </serviceEvent>
</documentationOf>
<!--

```

CDA Body

-->

```

    <component>
        <structuredBody>
            <!--

```

Purpose section

-->

```

    <component>
        <section>
            <templateId root="2.16.840.1.113883.10.20.1.13"/>
            <!-- Purpose section template -->
            <code code="48764-5" codeSystem="2.16.840.1.113883.6.1"/>
            <title>Summary Purpose</title>
            <text>Transfer of care</text>
            <entry typeCode="DRIV">
                <act classCode="ACT" moodCode="EVN">

```

```

<templateId root="2.16.840.1.113883.10.20.1.30"/>
<!-- Purpose activity template -->
<code code="23745001" codeSystem="2.16.840.1.113883.6.96"
displayName="Documentation procedure"/>
<statusCode code="completed"/>
<entryRelationship typeCode="RSON">
  <act classCode="ACT" moodCode="EVN">
    <code code="308292007"
codeSystem="2.16.840.1.113883.6.96"
displayName="Transfer of care"/>
    <statusCode code="completed"/>
  </act>
</entryRelationship>
</act>
</entry>
</section>
</component>
<component>
  <section>
    <templateId root="2.16.840.1.113883.10.20.1.14"/>
    <!-- Results section template -->
    <code code="30954-2" codeSystem="2.16.840.1.113883.6.1"/>
    <title>Results</title>
    <text>
      <table border="0" width="100%">
        <thead>
          <tr>
            <th align="left">REQUESTS</th>
            <th align="left">RESULTS</th>
            <th align="left">OUT OF RANGE</th>
            <th align="left">REFERENCE RANGE</th>
            <th align="left">UNITS</th>
          </tr>
        </thead>
        <tbody>
          <tr>
            <td colspan="5">
              <content styleCode="BoldItalics">CBC</content>
            </td>
          </tr>
          <tr>
            <td>WBC</td>
            <td>4.2</td>
            <td>#160;</td>
            <td>4.0-11.0</td>
            <td>K/MMM3</td>
          </tr>
          <tr>
            <td>RBC</td>
            <td>4.2</td>
            <td>#160;</td>
            <td>3.7-5.40</td>
            <td>M/MMM3</td>
          </tr>
          <tr>
            <td>HEMOGLOBIN</td>
            <td>9.8</td>
          </tr>
        </tbody>
      </table>
    </text>
  </section>
</component>

```

```

        <td>#160;</td>
        <td>11.5-16.0</td>
        <td>G/DL</td>
    </tr>
    <tr>
        <td colspan="5">
            <content styleCode="BoldItalics">LIPID</content>
        </td>
    </tr>
    <tr>
        <td>CHOLESTEROL</td>
        <td>135</td>
        <td>#160;</td>
        <td>less than 200</td>
        <td>MG/DL</td>
    </tr>
    <tr>
        <td>TRYGLYCERIDES</td>
        <td>62</td>
        <td>#160;</td>
        <td>less than 150</td>
        <td>MG/DL</td>
    </tr>
    <tr>
        <td>HDL CHOLESTEROL</td>
        <td>53</td>
        <td>#160;</td>
        <td>greater than 39</td>
        <td>MG/DL</td>
    </tr>
    <tr>
        <td colspan="5" styleCode="notes"></td>
    </tr>
    <tr>
        <td colspan="5" styleCode="notes">NOTES XXX</td>
    </tr>
</tbody>
</table>
</text>
<entry typeCode="DRIV">
    <encounter classCode="ENC" moodCode="EVN">
        <!-- Encounter activity Template-->
        <templateId root="2.16.840.1.113883.10.20.1.21"/>
        <!-- Encounter Id, MANDATORY -->
        <id extension="123456" root="2.16.840.1.113883.4.275.4.14"
            assigningAuthorityName="ACTIVITYID"/>
        <!-- Encounter Type, MANDATORY-->
        <code code="26436-6" codeSystem="2.16.840.1.113883.6.1"
            displayName="Laboratory studies">
            <!-- Encounter Descriptor, MANDATORY -->
            <originalText>Lab Report</originalText>
        </code>
        <!-- Encounter Time (DATE OF SERVICE, COLLECTION DATE - OBR-7), MANDATORY -->
        <effectiveTime value="20070401" />
    </encounter>
</entry>
</section>

```



```
        </component>
    </structuredBody>
</component>
</ClinicalDocument>
```

Banner Discharge Summary Sample

```
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/CCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
    <!--
*****
CDA Header
*****
-->
    <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
    <templateId root="2.16.840.1.113883.10.20.1"/> <!-- CCD v1.0 Templates Root -->
    <!-- MESSAGE ID
        id root is the id to identify Message ID -->
        <id root="2.9.0"/>
<!-- RECORD TYPE-->
    <code code="34105-7" codeSystem="2.16.840.1.113883.6.1" displayName="Discharge Summary"/>
    <title>Discharge Summary</title>
    <effectiveTime value="20000407130000+0500"/>
    <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
    <languageCode code="en-US"/>
    <!-- ORIGINAL RECORD ID FROM HL7 2.X Message BEFORE TRANSFORMATION
        setId extension is Original Record ID and root is the source system id for record ID (e.g. Data provider system)-->
    <setId extension="123" root="2.16.840.1.114222.4.1.4844.1.1"/>
    <recordTarget>
        <patientRole>
            <id extension="A1234455656" root="2.16.840.1.113883.4.275"/>
            <id extension="12345678" root="2.16.840.1.113883.4.275.4.2"/>
            <id extension="3210" root="2.16.840.1.113883.4.275.4.3"/>
            <!-- CUSTOMIZED ROOT IS SOURCE SYSTEM ID, EXTENSION IS MRN -->
            <id extension="23456666" root="2.16.840.1.114222.4.1.4824.1.1"/>
            <addr>
                <streetAddressLine>102 E. Some St.</streetAddressLine>
                <streetAddressLine>Apt 223</streetAddressLine>
                <city>Phoenix</city>
                <state>AZ</state>
                <postalCode>85044</postalCode>
                <county>Maricopa</county>
            </addr>
            <telecom value="tel:(999)555-1212" use="HP"/>
            <telecom value="tel:(999)555-1212" use="WP"/>
            <patient>
                <name>
                    <given>Jane</given>
                    <family>Doe</family>
                </name>
                <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
                <birthTime value="19681108"/>
```

```

                <maritalStatusCode code="M" codeSystem="2.16.840.1.113883.5.2" displayName="Married"/>
                <religiousAffiliationCode code="1001" codeSystem="2.16.840.1.113883.5.1076"
                displayName="Adventist"/>
                <raceCode code="2135-2" codeSystem="2.16.840.1.113883.5.104" displayName="Hispanic or
                Latino"/>
                <ethnicGroupCode code="234" codeSystem="2.16.840.1.113883.5.50"/>
            </patient>
            <providerOrganization>
                <id root="2.16.840.1.113883.3.138.3.6"/>
                <name>Banner Heart Hospital </name>
            </providerOrganization>
        </patientRole>
    </recordTarget>
    <author>
        <time value="20000404"/>
        <assignedAuthor>
            <id root="2.16.840.1.114222.4.1.4824.1.1"/>
            <representedOrganization>
                <!-- CUSTOMIZE ORGANIZATION ID TO DATA PROVIDER ORGANIZATION ID-->
                <id root="2.16.840.1.114222.4.1.4844"/>
                <name>Banner Heart Hospital </name>
            </representedOrganization>
        </assignedAuthor>
    </author>
    <custodian>
        <assignedCustodian>
            <representedCustodianOrganization>
                <id root="2.16.840.1.114222.4.1.4844"/>
                <name>Banner Heart Hospital </name>
            </representedCustodianOrganization>
        </assignedCustodian>
    </custodian>
    <informationRecipient>
        <intendedRecipient>
            <!-- REQUESTING APPLICATION ID (e.g Viewer Appliaction)-->
            <id root="2.16.840.1.113883.3.138.1.3"/>
        </intendedRecipient>
    </informationRecipient>
    <authenticator>
        <time/>
        <!-- SIGNATURE CODE IS TXA-17-->
        <signatureCode code="AU"/>
        <assignedEntity>
            <id/>
        </assignedEntity>
    </authenticator>
    <participant typeCode="ATND">
        <associatedEntity classCode="PROV">
            <associatedPerson>
                <name>
                    <prefix>Dr.</prefix>
                    <given>Kenneth</given>
                    <family>Ross</family>
                    <suffix>Jr</suffix>
                </name>
            </associatedPerson>
        </associatedEntity>
    </participant>

```

```

</participant>
<documentationOf>
  <serviceEvent classCode="PCPR">
<!-- ORIGINAL Encounter ID FROM HL7 2.X Message
id extension is record ID from original source system-->
  <id extension="123" root="2.16.840.1.113883.4.275.4.14"/>
  <!-- RECORD ID/Document ID
id extension is Record ID, this autogenerated by Emulator
id root is an OID for EMULATOR system that generated CCD. (e.g. emulator) -->
  <id extension="1234567899" root="2.16.840.1.114222.4.1.4844.1.1"/>
  <!-- DATE OF SERVICE-->
  <effectiveTime value="20050304"/>
  <performer typeCode="PRF">
    <functionCode code="PCP" codeSystem="2.16.840.1.113883.5.88"/>
    <assignedEntity>
      <id root="2.16.840.1.114222.4.1.4844"/>
      <representedOrganization>
        <id root="2.16.840.1.114222.4.1.4844"/>
        <name>Banner Heart Hospital</name>
      </representedOrganization>
    </assignedEntity>
  </performer>
</serviceEvent>
</documentationOf>

```

<!--

CDA Body

-->

```

<component>
  <structuredBody>

```

<!--

Purpose section

-->

```

<component>
<section>

```

```

  <templateId root='2.16.840.1.113883.10.20.1.13'/> <!-- Purpose section template -->

```

```

  <code code="48764-5" codeSystem="2.16.840.1.113883.6.1"/>

```

```

  <title>Summary Purpose</title>

```

```

  <entry typeCode="DRIV">

```

```

    <act classCode="ACT" moodCode="EVN">

```

```

      <templateId root='2.16.840.1.113883.10.20.1.30'/> <!-- Purpose activity template -->

```

```

      <code code="23745001" codeSystem="2.16.840.1.113883.6.96" displayName="Documentation

```

procedure"/>

```

      <statusCode code="completed"/>

```

```

      <entryRelationship typeCode="RSON">

```

```

        <act classCode="ACT" moodCode="EVN">

```

```

          <code code="308292007" codeSystem="2.16.840.1.113883.6.96" displayName="Transfer

```

of care"/>

```

          <statusCode code="completed"/>

```

```

        </act>

```

```

      </entryRelationship>

```

```

    </act>

```

</entry>
</section>
</component>
<component>
<section>
<templateId root="2.16.840.1.113883.10.20.1.3"/> <!-- Encounters section template -->
<code code="46240-8" codeSystem="2.16.840.1.113883.6.1"/>
<title>Encounters</title>
<text>
<content>BANNER GOOD SAMARITAN MEDICAL CENTER Account #:000033772781</content>
<content>1111 East McDowell Road MR #:99999999</content>
<content>Phoenix, Arizona 85006 DOE, JANE</content>
<content> DOB:04/21/1967</content>
<content> Admitted:12/01/2004</content>
<content> Discharged:01/01/2005</content>
<content> Room #: 333 56767</content>
<content></content>
<content></content>
<content></content>

DISCHARGE SUMMARY</content>

<content></content>
<content>DISCHARGE DIAGNOSES</content>
<content>1. Dehydration</content>
<content>2. Generalized Weakness</content>
<content>3. Hypokalemia</content>
<content></content>
<content>CONSULTANT: Cardiology, Dr. MICKY A MOUSE</content>
<content></content>
<content>HOSPITAL COURSE: The patient is a XX year-old with history of LV dysfunction, etc.....</content>
<content></content>
<content>Discharge medications include:</content>
<content>1. Pulmicort 180 mcg one puff b.i.d.</content>
<content>2. Plavix 75 mg p.o. daily</content>
<content></content>
<content></content>
<content></content>
<content></content>
<content>Unreviewed</content>
<content></content>
<content>MICKY A. MOUSE, M.D.</content>
<content></content>
<content>DICTATED BY: MICKY A. MOUSE, M.D.</content>
<content>D: 01/01/2005</content>
<content>T: 01/01/2005 8:01 A mtn</content>
<content>DocNbr: 2497623</content>
<content></content>
<content>cc: MICKY A. MOUSE, M.D.</content>
</text>

</section>
</component>

<!--

Plan of Care section

-->

</structuredBody>
</component>

</ClinicalDocument>

SJHMC Discharge Summary Sample

```
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/CCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <!--
  *****
  CDA Header
  *****
  -->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/> <!-- CCD v1.0 Templates Root -->
  <!-- MESSAGE ID
  id root is the id to identify Message ID -->
  <id root="2.9.0"/>
  <!-- RECORD TYPE-->
  <code code="34105-7" codeSystem="2.16.840.1.113883.6.1" displayName="Discharge Summary"/>
  <title>Discharge Summary</title>
  <effectiveTime value="20000407130000+0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="en-US"/>
  <!-- ORIGINAL RECORD ID FROM HL7 2.X Message BEFORE TRANSFORMATION
  setId extension is Original Record ID and root is the source system id for record ID (e.g. Data provider system)-->
  <setId extension="123" root="2.16.840.1.113883.3.181.1.1"/>
  <recordTarget>
    <patientRole>
      <id extension="A12344556656" root="2.16.840.1.113883.4.275"/>
      <id extension="12345678" root="2.16.840.1.113883.4.275.4.2"/>
      <id extension="3210" root="2.16.840.1.113883.4.275.4.3"/>
      <!-- CUSTOMIZED ROOT IS SOURCE SYSTEM ID, EXTENSION IS MRN-->
      <id extension="23456666" root="2.16.840.1.113883.3.181.1.1"/>
      <addr>
        <streetAddressLine>102 E. Some St.</streetAddressLine>
        <streetAddressLine>Apt 223</streetAddressLine>
        <city>Phoenix</city>
        <state>AZ</state>
        <postalCode>85044</postalCode>
        <county>Maricopa</county>
      </addr>
      <telecom value="tel:(999)555-1212" use="HP"/>
      <telecom value="tel:(999)555-1212" use="WP"/>
    </patientRole>
    <patient>
      <name>
        <given>Jane</given>
        <family>Doe</family>
      </name>
      <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
      <birthTime value="19681108"/>
    </patient>
  </recordTarget>
</ClinicalDocument>
```

```

                <maritalStatusCode code="M" codeSystem="2.16.840.1.113883.5.2" displayName="Married"/>
                <religiousAffiliationCode code="1001" codeSystem="2.16.840.1.113883.5.1076"
displayName="Adventist"/>
                <raceCode code="2135-2" codeSystem="2.16.840.1.113883.5.104" displayName="Hispanic or
Latino"/>
                <ethnicGroupCode code="234" codeSystem="2.16.840.1.113883.5.50"/>
            </patient>
            <providerOrganization>
                <id root="2.16.840.1.113883.3.138.3.5"/>
                <name>St Joseph's Hospital and Medical Center</name>
            </providerOrganization>
        </patientRole>
    </recordTarget>
    <author>
        <time value="20000404"/>
        <assignedAuthor>
            <id root="2.16.840.1.113883.3.181.1.1"/>
            <representedOrganization>
                <!-- CUSTOMIZE ORGANIZATION ID TO DATA PROVIDER ID-->
                <id root="2.16.840.1.113883.3.181"/>
                <name>St. Joseph's Hospital and Medical Center</name>
            </representedOrganization>
        </assignedAuthor>
    </author>
    <custodian>
        <assignedCustodian>
            <representedCustodianOrganization>
                <id root="2.16.840.1.113883.3.181"/>
                <name>St. Joseph's Hospital and Medical Center</name>
            </representedCustodianOrganization>
        </assignedCustodian>
    </custodian>
    <informationRecipient>
        <intendedRecipient>
            <!-- REQUESTING APPLICATION ID (e.g Viewer Appliaction)-->
            <id root="2.16.840.1.113883.3.138.1.3"/>
        </intendedRecipient>
    </informationRecipient>
    <authenticator>
        <time/>
        <!-- SIGNATURE CODE IS TXA-17-->
        <signatureCode code="AU"/>
        <assignedEntity>
            <id/>
        </assignedEntity>
    </authenticator>
    <participant typeCode="ATND">
        <associatedEntity classCode="PROV">
            <associatedPerson>
                <name>
                    <prefix>Dr.</prefix>
                    <given>Kenneth</given>
                    <family>Ross</family>
                    <suffix>Jr</suffix>
                </name>
            </associatedPerson>
        </associatedEntity>
    </participant>

```

```
</participant>
<documentationOf>
  <serviceEvent classCode="PCPR">
    <!-- ORIGINAL Encounter ID FROM HL7 2.X Message
    id extension is record ID from original source system-->
    <id extension="123" root="2.16.840.1.113883.4.275.4.14"/>
    <!-- RECORD ID/Document ID
    id extension is Record ID, this autogenerated by Emulator
    id root is an OID for EMULATOR system that generated CCD. (e.g. emulator) -->
    <id extension="1234567899" root="2.16.840.1.113883.3.181.1.1"/>
    <!-- DATE OF SERVICE-->
    <effectiveTime value="20050304"/>
    <performer typeCode="PRF">
      <functionCode code="PCP" codeSystem="2.16.840.1.113883.5.88"/>
      <assignedEntity>
        <id root="2.16.840.1.113883.3.181"/>
        <representedOrganization>
          <id root="2.16.840.1.113883.3.181"/>
          <name>Saint Joseph's Hospital and Medical Center</name>
        </representedOrganization>
      </assignedEntity>
    </performer>
  </serviceEvent>
</documentationOf>
```

```
<!--
*****
CDA Body
*****
```

```
-->
  <component>
    <structuredBody>
      <!--
*****
```

```
Purpose section
*****
```

```
-->
  <component>
    <section>
      <templateId root='2.16.840.1.113883.10.20.1.13'/> <!-- Purpose section template -->
      <code code="48764-5" codeSystem="2.16.840.1.113883.6.1"/>
      <title>Summary Purpose</title>
      <entry typeCode="DRIV">
        <act classCode="ACT" moodCode="EVN">
          <templateId root='2.16.840.1.113883.10.20.1.30'/> <!-- Purpose activity template -->
          <code code="23745001" codeSystem="2.16.840.1.113883.6.96" displayName="Documentation
procedure"/>
          <statusCode code="completed"/>
          <entryRelationship typeCode="RSON">
            <act classCode="ACT" moodCode="EVN">
              <code code="308292007" codeSystem="2.16.840.1.113883.6.96" displayName="Transfer
of care"/>
              <statusCode code="completed"/>
            </act>
          </entryRelationship>
        </act>
      </entryRelationship>
    </act>
```

```
</entry>
</section>
</component>
<component>
<section>
  <templateId root="2.16.840.1.113883.10.20.1.3"/> <!-- Encounters section template -->
  <code code="46240-8" codeSystem="2.16.840.1.113883.6.1"/>
  <title>Encounters</title>
  <text>
    <content>TOW55T3101      Document #: 1393699</content>
    <content>                                DOB 06/18/1955</content>
    <content>DOE, JANE</content>
    <content>00081013740  S      I      151-10-41</content>
    <content>RUBEN GREEN, MD</content>
    <content></content>
    <content>DATE OF ADMISSION: 06/18/2008</content>
    <content>DATE OF DISCHARGE:</content>
    <content></content>
    <content>I.  SITUATION AT ADMISSION: ??</content>
    <content></content>
    <content>II.  FAMILY HISTORY: ??</content>
    <content></content>
    <content>    SOCIAL NETWORK: ??</content>
    <content></content>
    <content>    EDUCATIONAL/VOCATIONAL: ??</content>
    <content></content>
    <content>    SUBSTANCE ABUSE HISTORY: ??</content>
    <content></content>
    <content>    MEDICAL/PSYCHIATRIC HISTORY: ??</content>
    <content></content>
    <content>    SEXUAL/PHYSICAL ABUSE: ??</content>
    <content></content>
    <content>    LEGAL HISTORY: ??</content>
    <content></content>
    <content>    FINANCIAL: ??</content>
    <content></content>
    <content>    SPIRITUAL: ??</content>
    <content></content>
    <content>III.  FAMILY ASSESSMENT, PLANS, TREATMENT GOALS: ????</content>
    <content></content>
    <content></content>
    <content></content>
    <content></content>
    <content>MICHELLE RED, CCC-SLP- Resident</content>
    <content></content>
    <content>MR/lmh</content>
    <content>Job #:          dd:          dt: 06/19/2008  9:20 A</content>
    <content></content>
    <content>cc:  MICHELLE RED, CCC-SLP</content>
    <content>    RUBEN GREEN, MD</content>
  </text>
</section>
</component>
</structuredBody>
</component>
</ClinicalDocument>
```


MIHS Discharge Summary Sample

```
<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/CCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <!--
*****
CDA Header
*****
-->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/> <!-- CCD v1.0 Templates Root -->
  <!-- MESSAGE ID
  id root is the id to identify Message ID -->
  <id root="2rewrwrwerwr"/>
  <!--RECORD TYPE-->
  <code code="34105-7" codeSystem="2.16.840.1.113883.6.1" displayName="Discharge Summary"/>
  <title>Discharge Summary</title>
  <effectiveTime value="20000407130000+0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="en-US"/>
  <!--ORIGINAL RECORD ID FROM HL7 2.X Message BEFORE TRANSFORMATION
  setId extension is Original Record ID and root is the source system id for record ID (e.g. Data provider system)-->
  <setId extension="123" root="2.16.840.1.113883.3.154.1.1"/>
  <recordTarget>
    <patientRole>
      <id extension="A1234455656" root="2.16.840.1.113883.4.275"/>
      <id extension="12345678" root="2.16.840.1.113883.4.275.4.2"/>
      <id extension="3210" root="2.16.840.1.113883.4.275.4.3"/>
      <!--CUSTOMIZED ROOT IS SOURCE SYSTEM ID, EXTENSION IS MRN-->
      <id extension="23456666" root="2.16.840.1.113883.3.154.1.1"/>
      <addr>
        <streetAddressLine>102 E. Some St.</streetAddressLine>
        <streetAddressLine>Apt 223</streetAddressLine>
        <city>Phoenix</city>
        <state>AZ</state>
        <postalCode>85044</postalCode>
        <county>Maricopa</county>
      </addr>
      <telecom value="tel:(999)555-1212" use="HP"/>
      <telecom value="tel:(999)555-1212" use="WP"/>
      <patient>
        <name>
          <given>Jane</given>
          <family>Doe</family>
        </name>
        <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1"/>
        <birthTime value="19681108"/>
        <maritalStatusCode code="M" codeSystem="2.16.840.1.113883.5.2" displayName="Married"/>
        <religiousAffiliationCode code="1001" codeSystem="2.16.840.1.113883.5.1076"
        displayName="Adventist"/>
        <raceCode code="2135-2" codeSystem="2.16.840.1.113883.5.104" displayName="Hispanic or
        Latino"/>
        <ethnicGroupCode code="234" codeSystem="2.16.840.1.113883.5.50"/>
      </patient>
    </patientRole>
  </recordTarget>
</ClinicalDocument>
```

```

        </patient>
        <providerOrganization>
            <id root="2.16.840.1.113883.3.138.3.3"/>
            <name>Maricopa Integrated Hospital</name>
        </providerOrganization>
    </patientRole>
</recordTarget>
<author>
    <time value="20000404"/>
    <assignedAuthor>
        <id root="2.16.840.1.113883.154.1.1"/>
        <representedOrganization>
            <!-- CUSTOMIZE ORGANIZATION ID-->
            <id root="2.16.840.1.113883.3.154"/>
            <name>Maricopa Integrated Hospital</name>
        </representedOrganization>
    </assignedAuthor>
</author>
<custodian>
    <assignedCustodian>
        <representedCustodianOrganization>
            <id root="2.16.840.1.113883.3.154"/>
            <name>Maricopa Integrated Hospital</name>
        </representedCustodianOrganization>
    </assignedCustodian>
</custodian>
<informationRecipient>
    <intendedRecipient>
        <!-- REQUESTING APPLICATION ID (e.g Viewer Appliaction)-->
        <id root="2.16.840.1.113883.3.138.1.3"/>
    </intendedRecipient>
</informationRecipient>
<authenticator>
    <time/>
    <!-- SIGNATURE CODE IS TXA-17-->
    <signatureCode code="AU"/>
    <assignedEntity>
        <id/>
    </assignedEntity>
</authenticator>
<participant typeCode="ATND">
    <associatedEntity classCode="PROV">
        <associatedPerson>
            <name>
                <prefix>Dr.</prefix>
                <given>Kenneth</given>
                <family>Ross</family>
                <suffix>Jr</suffix>
            </name>
        </associatedPerson>
    </associatedEntity>
</participant>
<documentationOf>
    <serviceEvent classCode="PCPR">
        <!-- ORIGINAL Encounter ID FROM HL7 2.X Message
        id extension is record ID from original source system-->
        <id extension="123" root="2.16.840.1.113883.4.275.4.14"/>
    </serviceEvent>
</documentationOf>

```

```
<!-- RECORD ID/Document ID
id extension is Record ID, this autogenerated by Emulator
id root is an OID for EMULATOR system that generated CCD. (e.g. emulator) -->
<id extension="1234567899" root="2.16.840.1.113883.3.154.1.1"/>
<!-- DATE OF SERVICE-->
<effectiveTime value="20050304"/>
<performer typeCode="PRF">
  <functionCode code="PCP" codeSystem="2.16.840.1.113883.5.88"/>
  <assignedEntity>
    <id root="2.16.840.1.113883.3.154"/>
    <representedOrganization>
      <id root="2.16.840.1.113883.3.154"/>
      <name>Maricopa Integrated Hospital System</name>
    </representedOrganization>
  </assignedEntity>
</performer>
</serviceEvent>
</documentationOf>
```

```
<!--
*****
CDA Body
*****
```

```
-->
<component>
  <structuredBody>
    <!--
*****
```

```
Purpose section
*****
```

```
-->
<component>
<section>
  <templateId root='2.16.840.1.113883.10.20.1.13'/> <!-- Purpose section template -->
  <code code="48764-5" codeSystem="2.16.840.1.113883.6.1"/>
  <title>Summary Purpose</title>
  <text>Transfer of Care</text>
  <entry typeCode="DRIV">
    <act classCode="ACT" moodCode="EVN">
      <templateId root='2.16.840.1.113883.10.20.1.30'/> <!-- Purpose activity template -->
      <code code="23745001" codeSystem="2.16.840.1.113883.6.96" displayName="Documentation
procedure"/>
      <statusCode code="completed"/>
      <entryRelationship typeCode="RSON">
        <act classCode="ACT" moodCode="EVN">
          <code code="308292007" codeSystem="2.16.840.1.113883.6.96" displayName="Transfer
of care"/>
          <statusCode code="completed"/>
        </act>
      </entryRelationship>
    </act>
  </entry>
</section>
</component>
<component>
<section>
```

```
<templateId root="2.16.840.1.113883.10.20.1.3"/> <!-- Encounters section template -->
<code code="46240-8" codeSystem="2.16.840.1.113883.6.1"/>
<title>Encounters</title>
<text>
```

```

<content>MARICOPA INTEGRATED HEALTH SYSTEM</content>
<content>Center - Comprehensive Healthcare Center - Family Health Centers</content>
<content>602) 267-5221 Medical Records</content>
<content>PATIENT: Doe, Jane MR#: 12345678</content>
<content>PHYSICIAN: TOM SANDERS, MD ACCT#: 0501100001</content>
<content>DATE OF ADMISSION: 01/01/2005 DOB: 01/01/1934</content>
<content>DATE OF DISCHARGE: 01/01/2005</content>
<content></content>
<content>DISCHARGE SUMMARY</content>
<content></content>
<content>HTWATERMARK</content>
<content></content>
<content>DIAGNOSIS ON ADMISSION</content>
<content>Term intrauterine pregnancy</content>
<content></content>
<content>DIAGNOSIS ON DISCHARGE</content>
<content>Status post primary low-transverse cesarean section secondary to non-reassuring</content>
<content>fetal heart tones</content>
<content></content>
<content>PROCEDURE</content>
<content>01/01/04 - primary low-transverse cesarean section with extension via Pfannenstiel</content>
<content>incision</content>
<content></content>
<content>SURGEON</content>
<content>DR JAMES</content>
<content></content>
<content>ASSISTANT</content>
<content>DR JONES</content>
<content></content>
<content>ATTENDING</content>
<content>DR FRANKLIN</content>
<content></content>
<content>FINDINGS</content>
<content>Viable male 5 pound, 1 ounce Apgars of 8/9, normal tubes, uterus and ovaries.</content>
<content></content>
<content>HISTORY</content>
<content>This is a 34-year-old gravida 6 para 5, 0-0-5 at 40-1/7th weeks by LMP consistent</content>
<content>with 19 week ultrasound. She came in complaining of contractions, that started the</content>
<content>day before, at 1300. Was SROM, had mild vaginal bleeding, denied any headaches or</content>
<content>visual changes. Her prenatal care had been at South Central clinic starting at 10</content>
<content>weeks. Her prenatal labs were within normal limits except for PPD that was</content>
<content>positive; a chest x-ray was negative and Pap was ASCUS by HPV negative.</content>
<content></content>
<content>HOSPITAL COURSE</content>
<content>The patient was laboring and began to have variable decelerations. Amnioinfusion</content>
<content>was done with fetal scalp electrode also placed. Variable decelerations continued</content>
<content>to persist down into the 50s. The patient was then taken for primary low-</content>
<content>transverse cesarean section.</content>
<content></content>
<content>DISCHARGE MEDICATIONS</content>
<content>Colace</content>
<content>Motrin</content>
<content>Prenatal vitamins</content>
```

```

<content>Percocet</content>
<content></content>
<content>DISCHARGE INSTRUCTIONS</content>
<content>Follow up at WCC in six weeks for a postpartum visit. The patient will need to</content>
<content>follow up with the TB clinic secondary to positive PPD and negative chest x-ray</content>
<content>and will also need to have a repeat Pap in 12 months.</content>
<content></content>
<content>DISCHARGE CONDITION</content>
<content>Stable</content>
<content></content>
<content></content>
<content></content>
_____  

TOM SANDERS, MD</content>
_____  

FRANK FRANKLIN, MD</content>
_____  

<content>DD: 01/01/2003 17:12:00 AM</content>
<content>DT: 01/03/2005 05:15:00 AM    MLS: 12345</content>
<content>JOB: 1234567</content>

```

```

</text>
</section>
</component>
</structuredBody>
</component>
</ClinicalDocument>

```

MCPC Medication History Sample

```

<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="Schemas/LabResultsCCD.xsl"?>
<!-- The following sample document depicts a fictional character's health summary. Any resemblance to a real person is coincidental.
-->
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="urn:hl7-org:v3 Schemas/CDA.xsd">
  <!--
*****
CDA Header
*****
-->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <templateId root="2.16.840.1.113883.10.20.1"/> <!-- CCD v1.0 Templates Root -->
  <!--id root=MESSAGE ID - IT SHOULD MATCH THE REQUEST MESSAGE ID-->
  <id root="2.16.840"/>
  <!--RECORD TYPE IS ALWAYS FIXED TO 10160-0 FOR MEDICATION HISTORY-->
  <code code="10160-0" codeSystem="2.16.840.1.113883.6.1" displayName="Medication History"/>
  <title>MCPC Medication History</title>
  <!--MEDICATION HISTORY LAST PUBLISH UPDATE DATE-->
  <effectiveTime value="20000407130000+0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25"/>
  <languageCode code="en-US"/>
  <recordTarget>
    <patientRole>
      <!--id extension = MASTER PATIENT INDEX (PAT-1) and id root = MCPC Source system ID, which is
      2.16.840.1.113883.3.182.1.1 for production and 2.16.840.1.113883.3.182.1.2 for testing -->
      <id extension="1014110" root="2.16.840.1.113883.3.182.1.1"/>

```

```

<!--id extension = INSURANCE ID (PAT-8) and id root =INSURANCE ID TYPE OID, which is -->
<id extension="A0055766601" root="2.16.840.1.113883.4.275.4.2"/>
<addr>
<!--postal code = ZIPCODE (PAT-7)-->
<postalCode>85743</postalCode>
</addr>
<patient>
  <name>
    <!--given = FIRST NAME (PAT-3)-->
    <given>MINDY</given>
    <!--given with IN qualifer = MIDDLE INITIAL (PAT-4)-->
    <given qualifier="IN">L</given>
    <!--family = LAST NAME (PAT-2)-->
    <family>KIDD</family>
  </name>
  <!--administrativeGenderCode code= GENDER (PAT-5)-->
  <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1"/>
  <!--birthTime value= Date Of Birth (PAT-6)-->
  <birthTime value="19681108"/>
</patient>
<providerOrganization>
  <!--id root = SOURCE SYSTEM ID, which is 2.16.840.1.113883.3.182.1.1 for production env and
  2.16.840.1.113883.3.182.1.2 for testing env-->
  <id root="2.16.840.1.113883.3.182.1.1"/>
  <name>MCPC Cisco System</name>
</providerOrganization>
</patientRole>
</recordTarget>
<author>
  <time value="20000404"/>
  <assignedAuthor>
    <!-- id root = GATEWAY ID, which is 2.16.840.1.113883.3.138.3.7 for production env and
    2.16.840.1.113883.3.138.3.12 for testing env -->
    <id root="2.16.840.1.113883.3.138.3.7"/>
    <representedOrganization>
      <!--id root= ORGANIZATION ID, which is 2.16.840.1.113883.3.182 for MCPC-->
      <id root="2.16.840.1.113883.3.182"/>
      <name>Managed Care Pharmacy Consultants</name>
      <addr>
        <city>Tucson</city>
        <state>AZ</state>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <!--id root= ORGANIZATION ID, which is 2.16.840.1.113883.3.182 for MCPC-->
      <id root="2.16.840.1.113883.3.182"/>
      <name>Maricopa Integrated Hospital</name>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<informationRecipient>
  <intendedRecipient>
    <!--REQUESTING APPLICATION ID, which for viewer is 2.16.840.1.113883.3.138.1.3-->

```



```
<th>Strength</th>
<th>Date Filled</th>
<th>Days Supply</th>
<th>Qty</th>
<th>Compliance Days</th>
<th>Prescription Number</th>
<th>Prescriber Number</th>

<th>Prescriber</th>
<th>Pharmacy Number</th>
<th>Pharmacy Name</th>

</tr>
</thead>
<tbody>
<tr>
<td char="MED">APRI</td>
<td char="STRENGTH" >1.50</td>
<td char="FILL_DATE">20080708</td>
<td char="DAYS_SUP">28</td>
<td char="QTY">28.0</td>
<td char="RCV">#160;</td> <!--IF VALUE IS BLANK, the USE #160;-->

<td char="PRESCRIPTION_NUM">06697052</td>
<td char="PRESCRIBER_NUM">#160;</td>
<!--IF VALUE IS BLANK, the USE #160;-->
td char="PRESCRIBER">#160;</td>
<td char="PHARM_NUM">0327420</td>
<td char="PHARM_NAME">WAL-MART PHARMACY 10 857</td>

</tr>
<tr>
<td char="MED">HYDROCODONE - ACETAMINOPHEN</td>
<td char="STRENGTH" >50.00</td>
<td char="FILL_DATE">20080709</td>
<td char="DAYS_SUP">2</td>
<td char="QTY">12.0</td>
<td char="RCV">#160;</td>
<!--IF VALUE IS BLANK, the USE #160;-->
<td char="PRESCRIPTION_NUM">04415096</td>
<td char="PRESCRIBER_NUM">#160;</td>
<td char="PRESCRIBER">#160;</td>
<td char="PHARM_NUM">0327420</td>
<td char="PHARM_NAME">WAL-MART PHARMACY 10 857</td>

</tr>
</tbody>
</table>
</text>
</section>
</component>
</structuredBody>
</component>
</ClinicalDocument>
```


Appendix A Record Types Supported By AMIE

Complete List of LOINC codes to be used for Record types

| Loinc Code | Description |
|------------|--|
| 10160-0 | Medication History |
| 11488-4 | Consultation note |
| 11490-0 | Discharge summarization note - Physician |
| 11492-6 | History & physical note - Hospital |
| 11504-8 | Surgical operation note |
| 11505-5 | Procedure note - Physician |
| 11506-3 | Subsequent evaluation note |
| 11507-1 | Subsequent evaluation note - Occupational therapy |
| 11508-9 | Subsequent evaluation note - Physical therapy |
| 11509-7 | Subsequent evaluation note - Podiatry |
| 11510-5 | Subsequent evaluation note - Psychology |
| 11512-1 | Subsequent evaluation note - Speech therapy |
| 11522-0 | Study report - Heart - Cardiac echo |
| 11523-8 | Study report - Brain - EEG |
| 11524-6 | Study report - Heart - EKG |
| 11525-3 | Study report - Pelvis Fetus - OB US |
| 11526-1 | Study report - Patient - Pathology |
| 11527-9 | Study report - Patient - Psychiatry |
| 11529-5 | Study report - Patient - Surgical pathology |
| 11536-0 | Notes - Patient - Nursing |
| 11541-0 | Study report - Brain - MRI |
| 11542-8 | Subsequent visit evaluation note |
| 15507-7 | Subsequent evaluation note - Emergency department |
| 18733-6 | Subsequent evaluation note - Attending physician |
| 18734-4 | Initial evaluation note - Occupational therapy |
| 18735-1 | Initial evaluation note - Physical therapy |
| 18736-9 | Initial evaluation note - Physician |
| 18737-7 | Initial evaluation note - Podiatry |
| 18738-5 | Initial evaluation note - Psychology |
| 18739-3 | Initial evaluation note - Social service |
| 18740-1 | Initial evaluation note - Speech therapy |
| 18741-9 | Subsequent visit evaluation note - Attending physician |
| 18742-7 | Study report - Arthroscopy |
| 18743-5 | Autopsy note |
| 18744-3 | Study report - Respiratory system - Bronchoscopy |
| 18745-0 | Study report - Heart - Cardiac catheterization |
| 18746-8 | Study report - Lower GI tract - Colonoscopy |
| 18747-6 | Study - CT |
| 18748-4 | Study report - Diagnostic imaging |
| 18749-2 | Study report - Electromyogram |

| | |
|---------|--|
| 18750-0 | Study report - Heart - Electrophysiology |
| 18751-8 | Study report - Upper GI tract - Endoscopy |
| 18752-6 | Study report - Patient - Exercise stress test |
| 18753-4 | Study report - Lower GI tract - Flexible sigmoidoscopy |
| 18754-2 | Study report - Heart - Holter monitor |
| 18755-9 | Study report - MRI |
| 18756-7 | Study report - Spine - MRI |
| 18757-5 | Study report - Radnuc |
| 18758-3 | Study - PET scan |
| 18759-1 | Study report - Respiratory system - Spirometry |
| 18760-9 | Study - US |
| 18761-7 | Transfer summarization note |
| 18762-5 | Subsequent evaluation note - Chiropractor |
| 18763-3 | Initial evaluation note - Consulting physician |
| 18764-1 | Subsequent evaluation note - Nurse practitioner |
| 18765-8 | Subsequent visit evaluation note - Podiatry |
| 18766-6 | Subsequent visit evaluation note - Psychology |
| 18836-7 | Procedure - Cardiac stress study |
| 18841-7 | Hospital consultations - Patient |
| 18842-5 | Discharge summarization note |
| 24611-6 | Confirmatory consultation note - Outpatient |
| 26436-6 | Lab Report |
| 26436-7 | Lab Report |
| 28032-1 | Report.total - Heart - Cardiac echo |
| 28568-4 | Visit note - Emergency department - Physician |
| 28569-2 | Subsequent evaluation note - Consulting physician |
| 28570-0 | Procedure note |
| 28571-8 | Visit note - Patient - Speech therapy |
| 28572-6 | Initial evaluation note - Dentistry |
| 28573-4 | Surgical operation note - Physician |
| 28574-2 | Discharge note |
| 28575-9 | Progress note - Patient - Nurse practitioner |
| 28577-5 | Procedure note - Dentistry |
| 28578-3 | Visit note - Patient - Occupational therapy |
| 28579-1 | Visit note - Physical therapy |
| 28580-9 | Progress note - Patient - Chiropractor |
| 28581-7 | Initial evaluation note - Chiropractor |
| 28583-3 | Surgical operation note - Dentistry |
| 28615-3 | Audiology study - Patient |
| 28616-1 | Transfer summarization note - Physician |
| 28617-9 | Subsequent evaluation note - Dentistry |
| 28618-7 | Visit note - Dentistry |
| 28621-1 | Initial evaluation note - Nurse practitioner |
| 28622-9 | Discharge assessment note - Nursing |
| 28623-7 | Subsequent evaluation note - Nursing |
| 28624-5 | Surgical operation note - Podiatry |
| 28625-2 | Procedure note - Podiatry |
| 28626-0 | History & physical note - Physician |

| | |
|---------|---|
| 28627-8 | Subsequent evaluation note - Psychiatry |
| 28628-6 | Visit note - Patient - Psychiatry |
| 28633-6 | Study report - Patient - Polysomnography |
| 28635-1 | Initial evaluation note - Psychiatry |
| 28636-9 | Initial evaluation note |
| 28651-8 | Transfer summarization note - Nursing |
| 28653-4 | Visit note - Social service |
| 28654-2 | Initial evaluation note - Attending physician |
| 28655-9 | Discharge summarization note - Attending physician |
| 28656-7 | Subsequent evaluation note - Social service |
| 29753-1 | Initial evaluation note - Nursing |
| 29754-9 | Study report - Nystagmogram |
| 29755-6 | Study report - Patient - Nerve conduction |
| 29756-4 | Study report - Peritoneal space - Peritoneoscopy |
| 29757-2 | Study report - Cvx/Vag - Colposcopy |
| 29761-4 | Discharge summarization note - Dentistry |
| 33716-2 | Study report - Cytology.non-gyn |
| 33717-0 | Study report - Cvx/Vag - Cytology |
| 33718-8 | Study report - Tiss.FNA - Cyto stain |
| 33719-6 | Study report - Flow cytometry |
| 33720-4 | Blood bank consult - Patient |
| 33721-2 | Bone marrow biopsy report - Bone marrow |
| 34094-3 | Admission history and physical note - Hospital - Cardiology |
| 34095-0 | Comprehensive history & physical note |
| 34096-8 | Comprehensive history and physical - Nursing home |
| 34097-6 | Conference evaluation note - Nursing home |
| 34098-4 | Conference evaluation note |
| 34099-2 | Consultation note - Cardiology |
| 34100-8 | Consultation note - Critical care unit |
| 34101-6 | Consultation note - Outpatient - General medicine |
| 34102-4 | Consultation note - Hospital - Psychiatry |
| 34103-2 | Consultation note - Pulmonary |
| 34104-0 | Consultation note - Hospital |
| 34105-7 | Discharge summarization note - Hospital |
| 34106-5 | Discharge summarization note - Hospital - Physician |
| 34107-3 | Education procedure note - Home health |
| 34108-1 | Evaluation and management note - Outpatient |
| 34109-9 | Evaluation and management note |
| 34110-7 | Evaluation and management note - Outpatient - Diabetology |
| 34111-5 | Evaluation and management note - Emergency department |
| 34112-3 | Evaluation and management note - Inpatient |
| 34113-1 | Evaluation and management note - Nursing home |
| 34114-9 | Group counseling note - Hospital |
| 34115-6 | History & physical note - Hospital - Medical student |
| 34116-4 | History & physical note - Nursing home - Physician |

| | |
|---------|--|
| 34117-2 | History and physical note |
| 34118-0 | Initial evaluation note - Home health |
| 34119-8 | Initial evaluation note - Nursing home |
| 34120-6 | Initial evaluation note - Outpatient |
| 34121-4 | Interventional procedure note |
| 34122-2 | Pathology procedure note - Pathology |
| 34123-0 | Pre-operative evaluation and management note - Hospital - Anesthesia |
| 34124-8 | Subsequent evaluation note - Outpatient - Cardiology |
| 34125-5 | Subsequent evaluation note - Home health care - Case manager |
| 34126-3 | Subsequent evaluation note - Critical care unit |
| 34127-1 | Subsequent evaluation note - Outpatient - Dental hygienist |
| 34128-9 | Subsequent evaluation note - Outpatient - Dentistry |
| 34129-7 | Subsequent evaluation note - Home health |
| 34130-5 | Subsequent evaluation note - Hospital |
| 34131-3 | Subsequent evaluation note - Outpatient |
| 34132-1 | Subsequent evaluation note - Outpatient - Pharmacy |
| 34133-9 | Summarization of episode note |
| 34134-7 | Supervisory note - Outpatient - Attending physician |
| 34135-4 | Supervisory note - Outpatient - Attending physician.cardiology |
| 34136-2 | Supervisory note - Outpatient - Attending physician.gastroenterology |
| 34137-0 | Surgical operation note - Outpatient |
| 34138-8 | Targeted history and physical note |
| 34139-6 | Telephone encounter note - Nursing |
| 34140-4 | Transfer of care referral note |
| 34744-3 | Admission evaluation note - Nursing |
| 34745-0 | Discharge summarization note - Nursing |
| 34746-8 | Evaluation and management note - Nursing |
| 34747-6 | Pre-operative evaluation and management note - Nursing |
| 34748-4 | Telephone encounter note |
| 34749-2 | Consultation note - Outpatient - Anesthesia |
| 34750-0 | Evaluation and management note - Anesthesia |
| 34751-8 | Pre-operative evaluation and management note - Anesthesia |
| 34752-6 | Evaluation and management note - Cardiology |
| 34753-4 | Evaluation and management note - Outpatient - Cardiology |
| 34754-2 | Evaluation and management note - Critical care |
| 34755-9 | Transfer summarization note - Critical care |
| 34756-7 | Consultation note - Dentistry |
| 34757-5 | Evaluation and management note - Dentistry |
| 34758-3 | Consultation note - Dermatology |
| 34759-1 | Evaluation and management note - Dermatology |
| 34760-9 | Consultation note - Diabetology |

| | |
|---------|---|
| 34761-7 | Consultation note - Gastroenterology |
| 34762-5 | Evaluation and management note - Gastroenterology |
| 34763-3 | Admission history and physical note - General medicine |
| 34764-1 | Consultation note - General medicine |
| 34765-8 | Evaluation and management note - General medicine |
| 34766-6 | Evaluation and management note - Outpatient - General medicine |
| 34767-4 | Evaluation and management note - Medical student.general medicine |
| 34768-2 | Evaluation and management note - Nurse.general medicine |
| 34769-0 | Evaluation and management note - Attending physician.general medicine |
| 34770-8 | Transfer summarization note - General medicine |
| 34771-6 | Consultation note - General surgery |
| 34772-4 | Evaluation and management note - General surgery |
| 34773-2 | Evaluation and management note - Attending physician.general surgery |
| 34774-0 | History & physical note - General surgery |
| 34775-7 | Pre-operative evaluation and management note - General surgery |
| 34776-5 | Consultation note - Gerontology |
| 34777-3 | Consultation note - Gynecology |
| 34778-1 | Evaluation and management note - Gynecology |
| 34779-9 | Consultation note - Hematology+Oncology |
| 34780-7 | Evaluation and management note - Hematology+Oncology |
| 34781-5 | Consultation note - Infectious disease |
| 34782-3 | Evaluation and management note - Infectious disease |
| 34783-1 | Consultation note - Kinesiotherapy |
| 34784-9 | Evaluation and management note - Kinesiotherapy |
| 34785-6 | Consultation note - Mental health |
| 34786-4 | Evaluation and management note - Mental health |
| 34787-2 | Group counseling note - Mental health |
| 34788-0 | Consultation note - Psychiatry |
| 34789-8 | Evaluation and management note - Psychiatry |
| 34790-6 | Group counseling note - Psychiatry |
| 34791-4 | Consultation note - Psychology |
| 34792-2 | Evaluation and management note - Psychology |
| 34793-0 | Group counseling note - Psychology |
| 34794-8 | Evaluation and management note - Multidisciplinary |
| 34795-5 | Consultation note - Nephrology |
| 34796-3 | Evaluation and management note - Nephrology |
| 34797-1 | Consultation note - Neurology |
| 34798-9 | Consultation note - Neurosurgery |
| 34799-7 | Evaluation and management note - Neurosurgery |
| 34800-3 | Consultation note - Nutrition+Dietetics |

| | |
|---------|---|
| 34801-1 | Evaluation and management note - Nutrition+Dietetics |
| 34802-9 | Evaluation and management note - Occupational health |
| 34803-7 | Consultation note - Occupational health |
| 34804-5 | Evaluation and management note - Occupational therapy |
| 34805-2 | Consultation note - Oncology |
| 34806-0 | Evaluation and management note - Oncology |
| 34807-8 | Consultation note - Ophthalmology |
| 34808-6 | Evaluation and management note - Ophthalmology |
| 34809-4 | Pre-operative evaluation and management note - Ophthalmology |
| 34810-2 | Consultation note - Optometry |
| 34811-0 | Evaluation and management note - Optometry |
| 34812-8 | Consultation note - Oromaxillofacial surgery |
| 34813-6 | Evaluation and management note - Oromaxillofacial surgery |
| 34814-4 | Consultation note - Orthopedics |
| 34815-1 | Evaluation and management note - Orthopedics |
| 34816-9 | Consultation note - Otorhinolaryngology |
| 34817-7 | Evaluation and management note - Otorhinolaryngology |
| 34818-5 | Operative note - Otorhinolaryngology |
| 34819-3 | Evaluation and management note - Pathology |
| 34820-1 | Consultation note - Pharmacy |
| 34821-9 | Evaluation and management note - Pharmacy |
| 34822-7 | Consultation note - Physical medicine and rehabilitation |
| 34823-5 | Evaluation and management note - Physical medicine and rehabilitation |
| 34824-3 | Consultation note - Physical therapy |
| 34825-0 | Evaluation and management note - Physical therapy |
| 34826-8 | Consultation note - Plastic surgery |
| 34827-6 | Evaluation and management note - Plastic surgery |
| 34828-4 | Consultation note - Podiatry |
| 34829-2 | Evaluation and management note - Podiatry |
| 34830-0 | Evaluation and management note - Pulmonary |
| 34831-8 | Consultation note - Radiation oncology |
| 34832-6 | Evaluation and management note - Radiation oncology |
| 34833-4 | Consultation note - Recreational therapy |
| 34834-2 | Evaluation and management note - Recreational therapy |
| 34835-9 | Consultation note - Rehabilitation |
| 34836-7 | Evaluation and management note - Rehabilitation |
| 34837-5 | Consultation note - Respiratory therapy |
| 34838-3 | Evaluation and management note - Respiratory therapy |
| 34839-1 | Consultation note - Rheumatology |

| | |
|---------|--|
| 34840-9 | Evaluation and management note - Rheumatology |
| 34841-7 | Consultation note - Social work |
| 34842-5 | Evaluation and management note - Social work |
| 34843-3 | Group counseling note - Social work |
| 34844-1 | Telephone encounter note - Outpatient - Social work |
| 34845-8 | Consultation note - Speech therapy Audiology |
| 34846-6 | Evaluation and management note - Speech therapy Audiology |
| 34847-4 | Consultation note - Surgery |
| 34848-2 | Evaluation and management note - Surgery |
| 34849-0 | Consultation note - Thoracic surgery |
| 34850-8 | Evaluation and management note - Outpatient - Thoracic surgery |
| 34851-6 | Consultation note - Urology |
| 34852-4 | Evaluation and management note - Urology |
| 34853-2 | Consultation note - Vascular surgery |
| 34854-0 | Evaluation and management note - Outpatient - Vascular surgery |
| 34855-7 | Consultation note - Occupational therapy |
| 34856-5 | Evaluation and management note - Anticoagulation |
| 34857-3 | Evaluation and management note - Substance abuse |
| 34858-1 | Evaluation and management note - Pain management |
| 34859-9 | Evaluation and management note - Hyperlipidemia |
| 34860-7 | Evaluation and management note - Hypertension |
| 34861-5 | Evaluation and management note - Diabetology |
| 34862-3 | Admission evaluation note - Inpatient - Attending physician.general medicine |
| 34863-1 | Post-operative evaluation and management note - General surgery |
| 34864-9 | Counseling note - Mental health |
| 34865-6 | Counseling note - Psychiatry |
| 34866-4 | Counseling note - Psychology |
| 34867-2 | Post-operative evaluation and management note - Outpatient - Ophthalmology |
| 34868-0 | Operative note - Orthopedics |
| 34869-8 | Counseling note - Pharmacy |
| 34870-6 | Operative note - Plastic surgery |
| 34871-4 | Operative note - Podiatry |
| 34872-2 | Counseling note - Social work |
| 34873-0 | Admission evaluation note - Surgery |
| 34874-8 | Operative note - Surgery |
| 34875-5 | Post-operative evaluation and management note - Surgery |
| 34876-3 | Pre-operative evaluation and management note - Surgery |
| 34877-1 | Operative note - Urology |
| 34878-9 | Evaluation and management note - Emergency medicine |

| | |
|---------|--|
| 34879-7 | Consultation note - Endocrinology |
| 34880-5 | Post-operative evaluation and management note - Nurse.surgery |
| 34881-3 | Pre-operative evaluation and management note - Nurse.surgery |
| 34895-3 | Education note |
| 34896-1 | Interventional procedure note - Cardiology |
| 34897-9 | Education note - Diabetology |
| 34898-7 | Evaluation and management note - Endocrinology |
| 34899-5 | Interventional procedure note - Gastroenterology |
| 34900-1 | Subsequent evaluation note - General medicine |
| 34901-9 | Subsequent evaluation note - Outpatient - General medicine |
| 34902-7 | Education note - Outpatient - Gerontology |
| 34903-5 | Note - Mental health |
| 34904-3 | Subsequent evaluation note - Mental health |
| 34905-0 | Evaluation and management note - Neurology |
| 34906-8 | Note - Pastoral care |
| 38932-0 | VA C&P exam.acromegaly |
| 38933-8 | VA C&P exam.aid and attendance &or housebound |
| 38934-6 | VA C&P exam.arrythmias |
| 38935-3 | VA C&P exam.miscellaneous arteries &or veins |
| 38936-1 | VA C&P exam.audio |
| 38937-9 | VA C&P exam.bones fractures &or bone disease |
| 38938-7 | VA C&P exam.brain &or spinal cord |
| 38939-5 | VA C&P exam.chronic fatigue syndrome |
| 38940-3 | VA C&P exam.cold injury protocol |
| 38941-1 | VA C&P exam.cranial nerves |
| 38942-9 | VA C&P exam.cushings syndrome |
| 38943-7 | VA C&P exam.dental &or oral |
| 38944-5 | VA C&P exam.diabetes mellitus |
| 38945-2 | VA C&P exam.miscellaneous digestive conditions |
| 38946-0 | VA C&P exam.ear disease |
| 38947-8 | VA C&P exam.mental health eating disorders |
| 38948-6 | VA C&P exam.miscellaneous endocrine diseases |
| 38949-4 | VA C&P exam.epilepsy &or narcolepsy |
| 38950-2 | VA C&P exam.esophagus &or hiatal hernia |
| 38951-0 | VA C&P exam.eye |
| 38952-8 | VA C&P exam.feet |
| 38953-6 | VA C&P exam.fibromyalgia |
| 38954-4 | VA C&P exam.general medical |
| 38955-1 | VA C&P exam.genitourinary |
| 38956-9 | VA C&P exam.disability in gulf war veterans |
| 38957-7 | VA C&P exam.gynecological conditions &or disorders of the breast |
| 38958-5 | VA C&P exam.hand &or thumb &or fingers |
| 38959-3 | VA C&P exam.heart |
| 38960-1 | VA C&P exam.hemic disorders |
| 38961-9 | VA C&P exam.HIV-related illness |

| | |
|---------|---|
| 38962-7 | VA C&P exam.hypertension |
| 38963-5 | VA C&P exam.infectious &or immune &or nutritional disabilities |
| 38964-3 | VA C&P exam.initial evaluation post-traumatic stress disorder |
| 38965-0 | VA C&P exam.large &or small intestines |
| 38966-8 | VA C&P exam.extremity joints |
| 38967-6 | VA C&P exam.liver &or gall bladder &or pancreas |
| 38968-4 | VA C&P exam.lymphatic disorders |
| 38969-2 | VA C&P exam.general mental disorders |
| 38970-0 | VA C&P exam.mouth &or lips &or tongue |
| 38971-8 | VA C&P exam.muscles |
| 38972-6 | VA C&P exam.miscellaneous neurological disorders |
| 38973-4 | VA C&P exam.nose &or sinus &or larynx &or pharynx |
| 38974-2 | VA C&P exam.peripheral nerves |
| 38975-9 | VA C&P exam.prisoner of war protocol |
| 38976-7 | VA C&P exam.pulmonary tuberculosis &or mycobacterial diseases |
| 38977-5 | VA C&P exam.rectum &or anus |
| 38978-3 | VA C&P exam.residuals of amputations |
| 38979-1 | VA C&P exam.obstructive &or restrictive &or interstitial respiratory diseases |
| 38980-9 | VA C&P exam.miscellaneous respiratory diseases |
| 38981-7 | VA C&P exam.review evaluation post-traumatic stress disorder |
| 38982-5 | VA C&P exam.scars |
| 38983-3 | VA C&P exam.sense of smell &or taste |
| 38984-1 | VA C&P exam.skin diseases other than scars |
| 38985-8 | VA C&P exam.social &or industrial survey |
| 38986-6 | VA C&P exam.spine |
| 38987-4 | VA C&P exam.stomach &or duodenum &or peritoneal adhesions |
| 38988-2 | VA C&P exam.thyroid &or parathyroid diseases |
| 46210-1 | Note - Case manager |
| 46213-5 | Tilt table study - Cardiovascular system |
| 46214-3 | Intracardiac ablation study - Heart |
| 46215-0 | Note - Wound care management |
| 46264-8 | History of medical device use |
| 47039-3 | Admission history and physical note - Inpatient |
| 47040-1 | Confirmatory consultation note |
| 47041-9 | Confirmatory consultation note - Inpatient |
| 47042-7 | Counseling note |
| 47043-5 | Group counseling note |
| 47044-3 | Initial evaluation note - Inpatient |
| 47045-0 | Study report |
| 47046-8 | Summary of death |
| 47047-6 | Supervisory note |
| 47048-4 | Diagnostic interventional study report - Interventional radiology |

| | |
|---------|--|
| 47049-2 | Communication |
| 47420-5 | Functional status assessment |
| 48764-5 | Summary purpose - CCD |
| 48765-2 | Allergies, adverse reactions, alerts - Patient |
| 48768-6 | Payment sources - Patient |
| 48807-2 | Bone marrow aspiration report - Bone marrow |