



Data Partner On-boarding Infrastructure Requirements

Author	Srinivas Koka
Author Position	Application Development Manager
Date	9/5/2008

VERSION: 1.1

9/5/2008




Purpose of this document

The purpose of this document is to describe how the AMIE software will be deployed in the DATA PARTNER environment. And how they are operated, managed and configured.

Hardware and Software Requirements

Component Name	Hardware / Software	Specification	Qty
Emulator	Hardware: Dell Power Edge Rack Server or similar Or Virtualization is ok as well.	Dell Server with Quad Core Xeon L5335 Processor2x4 MB Cache, 2.0GHz, 1333MHz FSB, PE1950 (223-4835), 4GB Memory	2
	Software: Operating System	WINDOWS SERVER STD 2003 R2 64 Bit	2
	Software: Database Software	SQL SERVER STD 2005 WIN32 BizTalk Server 2006 Std	2
Gateway	Hardware: Dell Power Edge Rack Server or similar Or Virtualization is ok as well.	Dell Server with Quad Core Xeon L5335 Processor2x4 MB Cache, 2.0GHz, 1333MHz FSB, PE1950 (223-4835), 4 GB Memory	2
	Software: Operating System	WINDOWS SERVER STD 2003 R2 64 Bit	2

Network Diagram





Network Requirements

The primary data flows required for this configuration will be as follows:

From	To	Port	Bidirectional?	Purpose
Test Emulator	Test Gateway	443	Yes	Std. Dataflow
Production Emulator	Production Gateway	443	Yes	Std. Dataflow
Test Gateway	AHCCCS Test Environment	443	Yes	Std. Dataflow
Production Gateway	AHCCCS Production Environment	443	Yes	Std. Dataflow
Patch Reflector	Test Gateway	TBD	TBD	Patch Updates
Patch Reflector	Production Gateway	TBD	TBD	Patch Updates
Virus Update Engine	Test Emulator	TBD	TBD	Virus Updates
Virus Update Engine	Production Emulator	TBD	TBD	Virus Updates
AHCCCS Technician	All AHCCCS Emulators	3389	No	Management VPN
AHCCCS Emulator's	AHCCCS Gateway's	3389	No	Management
AHCCCS Test and Production Emulator's and Gateway's	Tick.usnogps.navy.mil Tock.usno.navy.mil	123	No	Time Synchronization